




- ➡ QUICK TURNAROUND
- ➡ QUALITY CRAFTSMANSHIP
- ➡ EXPERT INSTALLATION

“BRINGING YOU THE BEST!”

- 🏠 CABINETS
- 🏠 CUSTOM SQUARE EDGE
- 🏠 FLOORING
- 🏠 POSTFORM
- 🏠 QUARTZ, MARBLE & GRANITE
- 🏠 QUICK TURN AROUND TIME
- 🏠 SOLID SURFACE



CONTACT US!

603.647.2444

ORDERS@COUNTERPROINC.COM





Counter Pro is proudly located in the heart of Manchester, NH. Founded in 1988 by Leigh Paulsen, the company began as a small warehouse operation and has since grown to become the second-largest laminate manufacturer in New England. Today, Counter Pro continues its legacy as a family-owned and operated business, now led by Leigh's son and daughter, who are dedicated to upholding the values and tradition their father established

At Counter Pro Kitchen Counters, we are dedicated to transforming your kitchen into a stunning and functional space. With years of experience in the industry, we specialize in providing high-quality, custom countertops that enhance both the beauty and functionality of your kitchen

Our team is passionate about craftsmanship and committed to using only the finest materials. From granite and quartz to marble and custom solutions, we offer a diverse range of options to suit any style and budget. We pride ourselves on delivering exceptional service from the initial consultation through to the final installation, ensuring that every project exceeds our clients' expectations.

At Counter Pro, our mission is to turn your kitchen vision into reality with precision, creativity, and excellence. We believe that a great kitchen starts with great countertops, and we're here to make that happen for you. Contact us today to start your journey towards a beautiful and functional kitchen.

Counter Pro, Inc. is one of the largest manufacturers of post form, custom self-edge laminate, and solid surface countertops in New England. Located in Manchester, NH and established in 1988, we have the largest selection available of in-stock post form countertops, as well as a full range of custom, wood, and bevel edge fabrication services.

Counter Pro, Inc. is ideal for Home Centers, Lumber Yards, and Kitchen and Bath dealers. We have one of the largest in stock post form "Quick Ship" inventories, with over 46 colors for your customers to choose from, from bathroom vanities to kitchens to bars and islands.

For more complex kitchen and vanity designs, we also offer custom self edge counter tops, with many fabrication services, from wood edge and bevel treatment, to radius corners in self edge, bevel edge, and wood edge treatment. Visit our Laminate countertop page for more detail information for our laminate products.

Counter Pro, Inc. is also a certified manufacturer of Durasein, Hanex, Formica, Staron, Corian, Hi-macs, and Wilsonart Solid Surface countertops. Solid Surface allows for custom fabrication with a 100 percent solid material, superior quality in appearance, and unlimited fabrication options. Visit our Solid Surface page!



GENERAL ORDERING INFORMATION & REQUIREMENTS

Specifying a Laminate: Your laminate selection will be determined by the color number and finish code only. The color name may be included however, Counter Pro assumes no responsibility for cross checking color names with numbers. Orders containing color names only will be rejected.

Laminate Finishes: Many laminate colors are available in more than one finish. EX: Formica 909 Black is available in -58 Matte Finish and -46 Etchings Finish. Hence, including finish code with color# is **very** important. It is also worth noting that some laminate companies use alpha characters to denote finish.

Factory Order Laminates: A “factory order” laminates may require a minimum sheet order requirement. Special orders cannot be cancelled. Counter Pro Inc reserves the right to decline factory order laminates.

Substrate Applications:

Particleboard is suitable for most applications where the countertop is supported by cabinets or brackets underneath.

Particleboard with Backer is used for aesthetic purposes as well as adding stability and helps prevent warping.

Plywood is best suited for applications where high strength with lower weight and moderate moisture resistance is a factor. It is typically used in commercial applications.

Medex® is a medium-density fiberboard with good water resistance properties. Recommended uses include commercial bathroom countertops and areas where exposure to moisture is an important consideration.

Drawing/Layout Information: When ordering, please be sure to include the following:

1. All *lengths* and *depths* of countertop pieces in inches **ONLY**.
2. Arc, bullnose radius and clip corner *sizes* and *locations*.
3. Angle end base cabinet *specifications* and *dimensions*.
4. Bolted joint or laminate seam desired location (subject to laminate & shipping restrictions).
5. *Sink cutout* location to the center of the cutout, size of the cutout and radius corner sizes for cutout. Please note: Actual cutout sizes for stainless steel, cast iron, and composite sinks differ. Always provide a template for cutouts that may not be standard.
6. Symbols we use and meaning: // = laminate finished edge.

As always, please call Counter Pro if you have any questions, we will be would be happy to assist you. Thank you for your cooperation!



TEMPLATE GUIDELINES FOR LAMINATE TOPS

When a template is required by Counter Pro to manufacture your countertop order, please use the following guidelines.

Template Material:

Make certain that the template is made from material that will hold its shape and size, so that critical dimensions and angles will not change. Suitable materials include: Rigid cardboard, plywood, luan or paneling. Paper templates will **NOT** be accepted.

Template Information Must Include:

1. Dealers name, customers name and purchase order #
2. All dimension including lengths and depths
3. Mark top and/or bottom side of template
4. Radius and clip corners sizes & locations
5. Seam and/or field joint locations (subject to laminate sizes and shipping restrictions)
6. Finished edges including laminate edges

Template Size:

1. All templates must be made to the *full size* of the desired countertop including any and all overhangs required. (Do NOT supply cabinet only templates)
2. Partial templates of just angles or curves will NOT be accepted. They are typically missing the very information we need such as relationships of angles and curves to the rest of the countertop
3. Templates too large to ship in one piece must be marked at connecting points and show where they fit together. (Example: "A to A", "B to B" etc.)

Remember:

- A template "**Setup**" fee **\$150.00** per template is charged for shop times
- A template supersedes any and all dimensions written on a drawing. We will NOT use a combination of the two, no exceptions
- Installers should be prepared to do some scribing and/or fitting as we DO NOT follow the scribe lines on a template
- Templates will remain in our possession for 3 months. At which time they will be disposed of. Templates made of reusable materials may be returned to your after we have received written acknowledgement of the countertop's installation and acceptance
- Dealers are responsible for the templates supplied by their customers and they should review the template for missing information prior to sending them to Counter Pro.
- If you or your customer are unable to provide a suitable template, Counter Pro provides a template service by quote.

Procedure:

1. Fax a preliminary layout with approximate dimensions showing order information noting "Template to Follow" as a reference only and we will arrange to have the template picked up
2. We will then enter the order in our system for tracking purposes only. The order is not official (or put into production) until the template is received and reviewed by the shop for any additional questions or missing information
3. You will then receive a confirmation of the order showing the cost and estimated ship date



INSPECTION OF MERCHANDISE

- * Any and all merchandise is to be thoroughly inspected upon receipt of goods. Please carefully inspect each item for damage before signing for material.
- * Any problem or damage to the merchandise should be noted in writing on the packing list. Damaged items may be refused or received pending customer acceptance
- * A sign receiving copy denotes acceptance of damage-free merchandise. No claims for damage or missing pieces will be considered after acceptance and/or installation with the exception of manufacturer's defects.
- * Use constitutes acceptance. If you choose not to inspect each item upon receipt, you do so at your own risk.

PRODUCT WARRANTY STATEMENT

Counter Pro warrants it's fabrication to be free from defects in workmanship for a period of one year. Our products include materials from other manufacturers whose warranty may also apply and benefit the end user.

Counter Pro's liability will never exceed the original purchase price. Our warranty is limited to the repair or replacement of defective products. We are not responsible for damage that may occur in shipping or installation, nor by abuse of product outside its intended use, including but not limited to the following:

- * Improper Installation
- * Using laminate surface as a cutting board
- * Exposing laminate surface to extreme temperatures
- * Exposing seams, joints or substrate to moisture
- * Nicks, chips, dents, or warpage due to handling or storage

Inspection of product upon receipt is important and is the responsibility of the receiver. No claims for damage or defects are allowed after installation. We expressly disclaim any liability or responsibility for any incidental or consequential damages.



WHEN CHOOSING A LAMINATE

Laminate Finishes

Suede or Matte Finish: is a standard smooth finish. Great for kitchens or baths, it is easy to clean and will provide years of durability and satisfaction.

Crystal Finish: is a slightly more durable and adds texture and sheen. It tends to “mask” scratching and is available in many popular solids and patterns.

Gloss Finish: is appropriate for bathroom vanities ONLY. In more active areas such as kitchens, it is NOT recommended. (Scratching, fingerprints and limitations of the substrate are highly visible).

Color Pattern Selection

Granite or Sparkled Patterns tend to mask wear. They prove to be the best choice for long lasting satisfaction and wearability.

Solid Colors tend to show more wear. Although dark solids are dramatic and add contrast, they always show scratches and wear immediately and are not recommended for kitchen countertop surfaces.

View Larger Samples

Whenever possible view larger samples of patterns prior to making final decisions on countertop surfaces. The following laminate manufacturers will provide larger samples by request.

Formica	1-800-FORMICA	www.formica.com
Pionite	1-800-PIONITE	www.pionite.com
Wilsonart	1-800-433-3222	www.wilsonart.com

Remember...

Plastic Laminates provide durable surfaces for today’s kitchens and baths. However, these surfaces are limited to minor repairs. Assist in your customer’s selection of laminate and help them choose colors and patterns that do not promote the visibility of the laminate’s limitations.

NOTE: Counter Pro may require a signed waiver form for laminate selections that are not appropriate for kitchen countertop applications. (See waiver form).



SUBSTRATE OPTIONS AND BACKER SHEETS

3/4" Particleboard

Counter Pro uses 3/4" premium high-density particleboard for all custom tops and build-up material. This provides a sturdy yet affordable substrate that is suitable for most residential counter top applications.

Hartson-Kennedy, our postform manufacturer also uses premium 3/4" high-density particleboard as their substrate for all postform tops.

Ultra-Light Particleboard

Ultra-light particleboard is very high-density and low weight. It is ideal for extra build-up material ie: double thick tops. Counter Pro uses ultra-light as standard for extra build-up material. Regular high-density particleboard adds too much weight and no extra strength.

Plywood

Counter Pro offers 3/4" premium plywood as a substrate option. It offers extra strength, rigidity and less prone to water damage. It is usually specified on HUD project or commercial jobs.

Hartson-Kennedy will also manufacture postform countertops with a plywood substrate. There is a minimum quantity associated with this option.

In either case, it adds a considerable cost to the price of a countertop job and should only be used in commercial applications or where there may be excessive moisture.

Backer Sheets

Backer is typically (4) ply's of treated kraft paper pressed together and is either brown or black. It is then applied to the bottom side of a substrate that is faced with high pressure decorative laminate. It adds dimensional stability, helps prevent warping, provides a smooth finished look and is less porous than raw particleboard.

Backer is an excellent choice for the underside of a bar or peninsula overhang, table bottoms, shelves and unsupported lengths of counter space.

* For pricing on the above options, see your fabrication options page



CARE AND PRECAUTIONS

- Do not store countertops in damp area. High moisture and temperature fluctuations may cause particleboard to bow or swell.
- Inspect countertop prior to installation No claims for damage will be accepted after installation.
- Remove all Staples from underside of countertop.
- Carefully follow mitre assembly instructions; always use water resistant wood glue when assembling joints.
- Install countertop level.
- Always generously caulk sinks and backsplash (moisture causes particleboard substrate to swell and is not covered under warranty).
- For added precaution, apply polyurethane or varnish to build-up on the underside of the countertop near sink and dishwasher area.
- Use warm soapy water to remove stickers. If difficult to remove, use Acetone and carefully peel off.

LAMINATE CARE AND CLEANING

DO:

- Use warm soapy water, mild spray cleaner for daily cleaning; soft sponges or cloths.
- Keep seams and joints free from “standing” moisture. Excessive moisture may cause particleboard substrate to swell.
- Keep laminate surface free from harsh chemicals (acidic or alkaline based cleaners. Drain cleaners, bleach, rust removers, metal cleaners, tub and tile cleaners, toilet bowl cleaners, & hair dyes/rinses).
- More difficult stains should be cleaned with a 50/50 mix of bleach and water.

DO NOT:

- Do Not use a laminate surface as a cutting board.
- Do Not expose laminate to excessive heat; including, but not limited to hot pots and pans directly from the stove or oven. Always use a trivet.
- Do Not use SOS or harsh scrub pads on laminate surface.
- Do Not use abrasive cleaners; including, but not limited to soft scrub, Comet, Ajax, etc.

COUNTER TOP COMPARISON GUIDE

	LAMINATE	SOLID SURFACE	GRANITE	ENGINEERED STONE
COMPOSITION	*Thin layer of veneer glued to particleboard. *Color and pattern printed on surface only	*Blend of natural minerals and high performance acrylics. *Color and pattern run all the way through.	*Igneous rock forms, granite and mica. *Color and pattern run through, but may be inconsistent.	*Typically 93" natural quartz particulars mixed with resins & pigments
APPEARANCE	*Hundreds of colors available. *Seams and joints are noticeable.	*Wide variety of colors and patterns. *Classic seamless bowls, deck and backsplash.	*Rich dramatic colors, speckled or veined. *Glossy finish. *Noticeable seams. *Loose backsplash.	*Real granite appearance. *Glossy finish. *Noticeable seams.
CLEANABILITY	*Will stain more easily. *Hand scrubbing and some cleaners may do harm to color / finish.	*Non-porous, resists stains. *Impervious to mold & bacteria. *Use most household cleaners.	*Porous surface, may stain permanently. *Visible seams can trap dirt & germs. *Clean with mild soap & water, or special granite cleaners. *Sealing required twice a year.	*Non-porous surface, resists stains. *Visible seams can trap dirt and germs. *Use most household cleaners. *No sealing required.
DURABILITY	*Minimum heat resistance. *Cannot cut on surface. *Any scratch, burn or chip not repairable. *Water damage in seams not covered under warranty.	*Some heat resistance, trivets are recommended. *Cannot cut on surface. *Scratches may be refinished by homeowner. *Repairable surface by fabricator.	*High heat resistance. *Cutting on surface will dull knives. *Chips or cracks are not repairable.	*Some heat resistance., trivets are recommended. *Chips or cracks are not repairable.
DESIGN VERSATILITY	*Choose many edge details: wood, bevel or postform with cove backsplash. *Seams and joints are visible.	*Can be cut, formed, inlaid and routed for any design. *Several sink options; solid seamless, undermount stainless etc.	*Limited design & fabrication. *Always loose backsplash. *Limited edge details. *Seams and joints are visible.	*Limited design & fabrication available. *Always loose backsplash. *Limited edge details. *Seams common at every return.
VALUE	*Affordable choice, with many options. *Cost less up front, limited longevity. *If damaged, needs replacement. *Inexpensive to replace.	*Keeps new appearance with min. maintenance. *Re-finish to look new. *Repairable if damaged. *Increases home's resale value.	*May require professional care. *If damaged, needs replacement. *Increases home's resale value. *A one-of-a-kind piece, product of nature. *Local fabricator warranty.	*Keeps new appearance with min. maintenance. *If damaged, needs replacement. *Increases home's resale value.
WARRANTY	*One year for defects *Does not cover burns, scratches or wear.	*10 Year <i>Installed</i> warranty. *Covers labor and material.	*Local fabricator warranty	*10 Year warranty, product only.




POSTFORM

2025



POSTFORM

- E2000 Stock Color List
- Pricing
- Warranty Information
- Edge Styles
- Fabrication Charges
- Special Order Pricing
- Multi-Unit Program
- Substrate Options
- Order Form





POSTFORM QUICK-SHIP REFERENCE 2/2

COLOR #	COLOR NAME	E-2000	E-2000 FLAT DECK	CASPIAN	CASPIAN FLAT DECK	ULTRA
459-58	Brite white	X				
909-42	Black	X	X			
3460-46	Calcutta Marble	X			X	
3517-46	Sand Crystall	X				
3518-46	Flint Crystall	X				
3522-46	Perlato Granite	X				
3526-58	Travertine Granite	X				
3692-46	Labrador Granite	X	X			
6226-46	Ivory Kashmire	X				
6280-46	Midnight Stone	X				
6314-58	Neo Cloud			X		
6319-43	Café Azul			X		
6696-46	Carrara Bianco	X		X		
6920-58	**Mineral Spa	X				
7022-58	**Natural Canvas	X				
7732-46	Butterum Granite	X	X			
7734-46	Jamocha Granite	X				
8830-58	Elemental Concrete	X				
9306-ML	White Bardiglio	X				
9302-34	Fantasy Marble			X	X	
9309-46	Star Dune	X				
9476-46	White Ice Granite	X	X	X	X	
9497-34	Silver Quartzite	X				

**Color is has been discontinued by Formica, call to check stock availability



POSTFORM QUICK-SHIP REFERENCE 1/2


COLOR #	COLOR NAME	E-2000	E-2000 FLAT DECK	CASPIAN	CASPIAN FLAT DECK	ULTRA
D30-60	Natural Almond	X				X
D354-60	Designer White	X	X			X
1573-60	Frosty White	X				
1871-35	Golden Romano	X				
1872-35	Bianco Romano	X				
1874-35	Winter Carnival	X	X			
1876-35	Spring Carnival	X	X			
1877-35	Autumn Carnival	X				
1878-35	Granito Amarelo	X	X			
1885-07	Marmo Blanco	X	X			
4142-60	Grey Glace	X				X
4143-60	Neutral Glace	X				X
4588-07	Kalahari Topaz	X				
4726-52	Milano Quartz	X	X			
4762-60	Mystique Dawn	X	X			
4882-38	Oiled Soapstone	X	X			
4886-38	Pearl Soapstone	X				
4922-52	Madra Pearl	X				
4924-38	White Carrara	X	X			
4925-07	Calcutta Marble	X		X		
4952-22	Typhoon Ice	X	X			
4954-22	Italian White di Pesco	X	X			
4955-22	Café di Pesco	X				
4988-07	Mercury Vesta	X				
5003-38	White Cascade	X				
5010-07	Drama Marble	X				

FORMICA IN-STOCK COLOR GUIDE p 1/3

E2000
Brite White
459-58




E2000 & E2000 Flat Dek
Black
909-42




E2000 & Caspian Flat Deck
Calcutta Marble
3460-60



E2000
Sand Crystall
3517-46



E2000
Flint Crystall
3518-46



E2000
Perlato Granite
3522-46




E2000
Travertine
3526-58



E2000 & E2000 Flat Deck
Labrador Granite
3692-46




E2000
Ivory Kashmir
6226-46



View Larger sample to better see color and pattern details.

FORMICA IN-STOCK COLOR GUIDE p 2/3

E2000
Midnight Stone
6280-46



Caspian Edge ONLY
Neo Cloud
6314-58



Caspian Edge ONLY
Café Azul
6319-43




E2000
Mineral Spa
6920-58



E2000
Natural Canvas
7022-58



E2000 & Caspian
Carrara Bianco
6696-46



E2000 & E2000 Flat Deck
Butterum Granite
7732-46



E2000
Jamocha Granite
7734-46



E2000
Elemental Concrete
8830-58



View Larger sample to better see color and pattern details.

FORMICA IN-STOCK COLOR GUIDE p 3/3

E2000
White Bardiglio
9306-ML



Caspian & Caspian Flat Deck
Fantasy Marble
9302-34




E2000
Star Dune
9309-46



E2000 & E2000 Flat Deck
Caspian & Caspian Flat Deck
White Ice Caspian
9476-46



E2000
Silver Quartzite
9497-34




View Larger sample to better see color and pattern details.

WILSONART IN-STOCK COLOR GUIDE p 1/3

E2000 & Ultra
Natural Almond
D30-60



E2000, E2000 Flat Deck & Ultra
Designer White
D354-60



E2000
Frosty White
1573-60



E2000
Golden Romano
1871-35



E2000
Bianco Romano
1872-35



E2000 & E2000 Flat Deck
Winter Carnival
1874-35



E2000 & E2000 Flat Deck
Spring Carnival
1876-35



E2000
Autumn Carnival
1877-35



E2000 & E2000 Flat Deck
Granite Amarelo
1878-35



View Larger sample to better see color and pattern details.

WILSONART IN-STOCK COLOR GUIDE p 2/3

E2000 & E2000 Flat Deck
Marmo Bianco
1885-07



E2000
Grey Glace
4142-60




E2000
Neutral Glace
4143-60



E2000
Kalahari Topaz
4588-07



E2000 & E2000 Flat Deck
Milano Quartz
4726-52



E2000 & E2000 Flat Deck
Mystique Dawn
4762-60



E2000 & E2000 Flat Deck
Oiled Soapstone
4882-38



E2000
Pearl Soapstone
4886-38



E2000
Madura Pearl
4922-52



View Larger sample to better see color and pattern details.

WILSONART IN-STOCK COLOR GUIDE p 3/3

E2000 & E2000 Flat Dec
White Carrara
4924-38



E2000 & Caspian
Calcutta Marble
4925-07



E2000 & E2000 Flat Deck
Typhoon Ice
4952-22



E2000 & E2000 Flat Deck
Italian White di Pesco
4954-22



E2000
Café di Pesco
4955-22



E2000
Mercury Vesta
4988-07



E2000
White Cascade
5003-38



E2000
Drama Marble
5010-07



View Larger sample to better see color and pattern details.

Limited One Year Warranty

Hartson-Kennedy Cabinet Top Co., Inc.,

Warrants to purchasers of manufacturer's products that the products manufactured shall be free from defects in materials and workmanship for a period of one (1) year from the date of purchase. This warranty applies only to properly installed products under normal use and wear.

THIS WARRANTY SHALL NOT APPLY, AND THE MANUFACTURER SHALL HAVE NO LIABILITY, UNDER ANY OF THE FOLLOWING CIRCUMSTANCES:

- * Damage due to improper installation
- * Damage to products after manufacturer's delivery
- * Damage due to heat in excess of 275° F
- * Damage from abrasive cleaners or harsh chemicals
- * Damage due to moisture

EXCLUSIVE REMEDY UNDER THIS WARRANTY HARTSON-KENNEDY CABINET TOP CO., INC.,

the manufacturer, shall be liable

ONLY for the REPAIR or REPLACEMENT

as manufacturer may elect of any product returned to manufacturer, with transportation charges prepaid, if examination shall prove to manufacturer's satisfaction that the unit is defective in material or workmanship, and provided that the manufacturer shall be notified in writing of any defect not later than one (1) year from the date of purchase.


NO PERSON IS AUTHORIZED TO MAKE ANY OTHER WARRANTY OR REPRESENTATION, EXPRESSED OR IMPLIED, OR ASSUME LIABILITY ON MANUFACTURER'S BEHALF UNLESS MADE OR ASSUMED IN WRITNG BY THE MANUFACTURER.

HARTSON-KENNEDY CABINET TOP CO., INC.

www.hartson-kennedy.com




Manufactured at Marion, Indiana
location ONLY




KITCHEN & VANITY TOP

UFV 19
UFV 22-1/2
UFK 25-1/4



BAR TOP


UFB 26-1/2



BAR TOP

UFB 27-1/2
UFB 30
UFB 36
UFB 42

NOTE: 12", 15", 18" Available in Waterfall style



FLAT DECK TOP

UFF 22-1/2
UFF 25-1/4
UFF 26
UFF 27-1/2
UFF 30
UFF 36
UFF 42

NO-DRIP 25-1/4"

ULTRA-TOP

FEATURES

- No-drip front nose, 1-1/2" thick
- 1/4" cove radius for easy cleaning
- Featuring 1" x 1" cove molding
- 5/8" scribe for fitting out-of-square walls
- 1-1/4" front build-up for floating countertop installation
- Kitchen and vanity tops feature 3-3/4" backsplash
- 26-1/2" standard bars are no-drip both sides
- Wide bars are no-drip one side with 3/4" roll radius back side
- Flat deck tops have no-drip front nose, unfinished back side



CORPORATE HEADQUARTERS

522 W. 22nd Street
Marion, IN 46953
Phone: (765) 668-8144
Fax: (765) 662-3452

SHOWROOM LOCATIONS

Gulfport, MS | Macon, GA
Statesboro, GA | Atlanta, GA

Visit our website:

www.hartson-kennedy.com





**Hartson
Kennedy™**
est. 1948


ULTRA-TOP

WATERFALL

1-1/2" FRONT NOSE

FEATURES

- 3/4" radius front nose, 1-1/2" thick
- 1/4" cove radius for easy cleaning
- Featuring 1" x 1" cove molding
- 3/8" scribe for fitting out-of-square walls
- 1-1/4" front build-up for floating countertop installation
- Kitchen and vanity tops feature 3-3/4" backsplash
- All bars feature 3/4" roll radius both sides
- Flat deck tops have 3/4" roll front radius, unfinished back side




KITCHEN & VANITY TOP

WV 19
WV 22-1/2
WV 25


BAR TOP

WFB 12
WFB 15
WFB 18
WFB 26
WFB 27-1/2
WFB 30
WFB 33
WFB 36
WFB 39
WFB 42



FLAT DECK TOP

WFF 22-1/2
WFF 25
WFF 26
WFF 27-1/2
WFF 30
WFF 33
WFF 36
WFF 39
WFF 42



hk | Hartson-Kennedy Inc.

CORPORATE HEADQUARTERS


522 W. 22nd Street
Marion, IN 46953
Phone: (765) 668-8144
Fax: (765) 662-3452

Visit our website:
www.hartson-kennedy.com




Form# SDS-248J
Rev. 10/18/24






KITCHEN & VANITY TOP
 EWV 19
 EWV 22-1/2
 EWK 25-1/4



BAR TOP
 EWB 12
 EWB 15
 EWB 18
 EWB 26 -1/2
 EWB 27-1/2
 EWB 30
 EWB 36
 EWB 42



FLAT DECK TOP
 EWF 22-1/2
 EWF 25-1/4
 EWF 26-1/2
 EMF 27-1/2
 EWF 30
 EWF 36
 EWF 42

FEATURES

- European profile front nose, flat face with double radius, 1-1/2" thick
- 1/4" cove radius for easy cleaning
- Featuring 1" x 1" cove molding
- 3/8" scribe for fitting out-of-square walls
- 1-1/4" front build-up for floating countertop installation
- Kitchen and vanity tops feature 3" backsplash
- All bars feature double radius both sides
- Flat deck tops have flat face with double radius front side, unfinished back side

CORPORATE HEADQUARTERS


522 W. 22nd Street
 Marion, IN 46953
 Phone: (765) 668-8144
 Fax: (765) 662-3452

SHOWROOM LOCATIONS


Gulfport, MS | Macon, GA
 Statesboro, GA | Atlanta, GA

Visit our website:
www.hartson-kennedy.com






KITCHEN & VANITY TOP
CNV 19
CNV 22-1/2
CNK 25-1/4



BAR TOP
CNB 12
CNB 15
CNB 18
CNB 26-1/2
CNB 30
CNB 36
CNB 42



FLAT DECK TOP
CNF 22-1/2
CNF 25-1/4
CNF 26-1/2
CNF 30
CNF 36
CNF 42

FEATURES

- 1/4" radius front nose, 1-1/2" thick
- 1/4" cove radius for easy cleaning
- Featuring 1" x 1" cove molding
- 3/8" scribe for fitting out-of-square walls
- 7/8" front build-up
- Kitchen and vanity tops feature 3" backsplash
- All bars feature 1/4" radius both sides
- Flat deck tops have 1/4" radius front side, unfinished back side

CORPORATE HEADQUARTERS

522 W. 22nd Street

Marion, IN 46953

Phone: (765) 668-8144

Fax: (765) 662-3452


SHOWROOM LOCATIONS

Gulfport, MS | Macon, GA


Statesboro, GA | Atlanta, GA

Visit our website:


www.hartson-kennedy.com



KITCHEN & VANITY TOP
DFV 19
DFV 22-1/2
DFK 25-1/4



BAR TOP
DFB 12-1/4
DFB 15
DFB 18
DFB 26 -1/2
DFB 27-1/2
DFB 30
DFB 36
DFB 42



FLAT DECK TOP
DFF 22-1/2
DFF 25-1/4
DFF 26-1/2
DFF 27-1/2
DFF 30
DFF 36
DFF 42

FEATURES

- 1-1/2" self-edge front nose
- 1/4" cove radius for easy cleaning
- Featuring 1" x 1" cove molding
- 3/8" scribe for fitting out-of-square walls
- 1-1/4" front build-up for floating countertop installation
- Kitchen and vanity tops feature 3-3/4" backsplash
- All bars feature self-edge both sides
- Flat deck tops are self-edge front, unfinished back side

CORPORATE HEADQUARTERS

522 W. 22nd Street
Marion, IN 46953
Phone: (765) 668-8144
Fax: (765) 662-3452

SHOWROOM LOCATIONS

Gulfport, MS | Macon, GA
Statesboro, GA | Atlanta, GA

Visit our website:

www.hartson-kennedy.com





POSTFORM


25 1/4" KITCHEN MITRED TO A 27" BAR






POSTFORM

25 1/4" KITCHEN MITRED TO A 36" BAR



POSTFORM MITRES & BUTT JOINTS


STANDARD MITRE



Standard 45
Degree Mitre


- (1) Loose or Assembled
- (2) Maximum Assembly is 60" Return

BUTT JOINT




- (1) Best location at mitre, when top measures 144" to 168"
- (2) Max. Assembly is 60" x 168"

PENINSULA MITRE




- (1) * = No Backsplash:
27" Peninsula = 1-3/4"
36" Peninsula = 10 3/4'
- (2) Maximum Assembly is 48"
- (3) 45 Degree Mitres Only


OUT-OF-SQUARE




- (1) Provide *3'-4'-5' Wall Measurements



OFFSET MITRES FOR POSTFORM FLAT DECK OR CUSTOM SQUARE EDGE TOPS



- A= Example= This length can be up to 144" without any additional seams
B= This length will increase when depth of C increases
C= Up to 144" without seams/joints.
Example: If depth of "C", length of "B" can be up to 167"



Note:


- * Always provide Back wall counter top measurements, and specify "Offset Mitre"
- * Cannot be used with integral backsplash counter tops or bar top to bar top

Guidelines:

- * Always keep all miter and butt joints away from sink area. (Water / Moisture Damage is not covered under warranty.)
- * Always use water resistant wood glue in addition to bolts when assembling miters and joints.
- * Remember that postform tops have their limitations, and may not be suitable for all kitchen layouts.



POSTFORM FABRICATION CENTER


1. 

“Eased Edges”

3"


3"

Allow proper overhang

1", 2", 3", 4" 6" (MAX.)
2. 

Angle End

Base


*All Manuf. Vary Supply Cabinet Dimensions
3. 

* Postform Peninsula*

36"

Island Top

* 1-3/4" for 27" Bar Tops

* 10-3/4" for 36" Bar Tops
4. 

48"


6"

61"

**

Out-of-Square Mitre


* *(Square Miter = 60" Across

3' - 4' - 5'
5. 

End Splash—Standard

Kitchen or Vanity


* Loose or Applied

* Left or Right
6. 

Bullnose

* (Arc) *


* 4" or 6" Standard Size

Larger Can Cause Dark Line
7. 

33" X 22"

Sink Cutouts


25" X 22"

Stainless Single or Double—All Others Provide Template or Cutout Size Including Radius Corner Cuts
8. 

144"


12"

* Best Location if Applicable - Keep Joint Away from Sink Area

* 60" Maximum Assembly
9. 

25"

Corner Shelf (Optional)

Diagonal Corner 22-1/2" Mitres (Not for Sink Area)
10. 

End Splash—Profile

Kitchen or Vanity

* Loose or Applied

* Fits On End


* Left or Right

3/4"



BUTT JOINTS & MITRES

BUTT JOINT AT MITRE



BUTT JOINTS AT MITRE FOR TOPS 168" OR LESS



Full Butt Joint ONLY for tops 169" or larger. NEVER in sink area.



ANGLE END BASE




3" EASED EDGE




Profile End Splash
Loose Only \$ 28.00 Ea
Add Radius \$ 52.00 Ea




POSTFORM FABRICATION CENTER




Standard Mitres:
(Max. Return = 60")




Butt Joints:
(For tops over 144")




Peninsula Mitres:
(Max. Return = 48")




Out of Square Mitres:
(Provide 3', 4', 5' Dim.)




Reverse Mitres: *
(Provide wall Dim.)



22 1/2" Mitres:
(Provide template)




End Caps:
Loose or Applied



Eased Edges:
2" to 6"

Add proper overhang



Clipped Corners:
2" to 6"

Add proper overhang



Bullnose Ends:
2" to 6"

Add proper overhang




Backsplash Caps:
Loose or Applied




Angle Cut:
2" to 6"

Add proper overhang




Angel End Base:
2" to 6"


Provide Specs



Pipe Chase Cut-Out:
W/Loose or Applied B/S



Standard End Splash
Loose or Applied
Can Add Radius



Profile End Splash
Loose ONLY
Can Add Radius

Add scribe to ends splash is available


Additional Offerings:

- + Cut off Backsplash or cut down Island Top
- + Cut off Backsplash & Reapply (for custom depth)
- + Cut Down & Finish Square (for custom Depth)
- + Double Thick Tops (extra build-up)
- + Double Thick Tops w/ Backer 12" Pad for 36" Bar
- + Sink Cut Outs (stainless standard, single or double)

- + Sink Cut Outs (non-standard)
- + Cooktop Cut Outs
- + Stove Cutouts – Finished
- + Apron or Skirt Applied (up to 6")
- + Full Cardboard Wrap
- + Matching Seamfil (stock color)

OFFSET MITRE JOINTS


This offset joint is designed for Postform Flat Deck, Custom Square and Bevel



The Benefits Include:

- * Easy to assemble
- * Shorter seam length
- * Allows for longer lengths without additional joints
- * Loose or assembled

E2000 Flat Deck



E2000 Flat Deck with Square Edge Backsplash





SPECIAL ORDER POSTFORM GUIDELINES

Color Selection:

Choose from Pionite, Formica, Nevamar and Wilsonart Laminates listed at “Special Order Selection Guide”

Pricing:

Blank are priced and ordered at 8’, 10’ and 12’ lengths only

Add proper fabrication charges (see postform fabrication)

Flat Deck Depths are fixed for special depth, cutting charge may apply

Premium laminates, proper pricing applies

Availability:

All colors listed are available in all styles shown in the finish listed with the exception of Diamond Top (Bevel Edge). No gloss finish orders are manufactured (see list)

Lead time for non-stock HK colors is 4-6 weeks

Counter Pro does **not** guarantee lead times on special orders

MULTI-UNIT PROGRAM p. 1/2


Counter Pro Inc. has extensive experience working with multi-unit projects— from apartment complexes to senior living communities , university dorms and more. If you have a project like this, our Commercial Project Department will work with you to quote, process, and schedule your project orders. For new construction or rehabilitated units, our products will meet the lead-times necessary for demanding, fast-track development.

FORMICA BRAND LAMINATES—GROUP A FINISHES

6696-58 CARRARA BIANCO



6698-58 PALOMA POLAR



6314-58 NEO CLOUD



7735-58 PORTICO MARBLE



9476-58 WHITE ICE GRANITE



6697-58 ARGENTO ROMANO



9525-58 WHITE SHALESTONE



9306-58 WHITE BARDIGLIO



9497-58 SILVER QUARTZITE



8831-58 ELEMENTAL STONE



MULTI-UNIT PROGRAM p. 2/2

Counter Pro Inc. has extensive experience working with multi-unit projects— from apartment complexes to senior living communities , university dorms and more. If you have a project like this, our Commercial Project Department will work with you to quote, process, and schedule your project orders. For new construction or rehabilitated units, our products will meet the lead-times necessary for demanding, fast-track development.

FORMICA BRAND LAMINATES—GROUP B FINISHES


6696-46 CARRARA BIANCO




9476-46 WHITE ICE GRANITE




6626-46 IVORY KASHMIRE



6280-46 MIDNIGHT STONE



3690-34 BASALT SLATE



FORMICA BRAND LAMINATES—GROUP C FINISHES


3460-46 CALACATTA MARBLE



5018-11 CALACATTA CAVA



7402-11 PIETRA GRAFITE



6319-43 CAFÉ AZUL



MULTI-UNIT PROGRAM FACTS

The facts.....

Simple kitchen renovations boost rental and sale rates anywhere from 10-30%. Coming in at less than 50% the cost of the real stone, Formica® Laminate is the cost effective solution for any multi-unit spaces and can yield large returns.



6314-58 Neo Cloud

9476-46 White Ice Granite

6319-43 Café Azul

Know the difference

FORMICA® BRAND LAMINATE	GRANITE & QUARTZ
Quick, light & easy install	Install requires special tools & heavy lifting
Lowest surfacing price point	Mid to high price point
Attractive with a wide variety of styles	Attractive, though limited style offering
EliteForm Technology for best in class scratch resistance & durability	Durable, but can scratch & chip (difficult to repair)
Simple & worry-free cleaning with everyday household cleaners	Requires special maintenance cleaners and sealing (granite only)
Does not promote bacterial growth	Vulnerable to bacterial growth (granite only)



SUBSTRATE OPTIONS

DURAFLAKE MR 3/4" Moisture Resistant Particleboard Substrate

Duraflake is an excellent choice for a countertop substrate when long periods of exposure to moisture is a concern. It is a cost effective alternative to plywood and is a superior substrate as it is harder, smoother and does not "telegraph".

USING DURAFLAKE MR AS A SUBSTRATE FOR CUSTOM TOPS

Decks up to 26" with 4" backsplash

Decks up to 26" (No Backsplash)

Decks up to 30"

Decks up to 36"

"MEDEX" MOISTURE RESISTANT

Medex is an SCS certified, **NO-ADDED FORMALDEHYDE**, moisture resistant MDF panel engineered for interior high moisture areas. Used in place of sanded plywood and solid wood in non-structural applications, Medex gives you the versatility of a composite panel with the emissions of solid wood.

Depths & Lengths

For 19", 22 1/2" & 25 1/4" ———— 8 & 10 ft Lengths

For 19", 22 1/2" & 25 1/4" ———— 12 ft Lengths

For 27", 30", 36" & 42" Bars ———— 8 & 12 ft Lengths

For 27", 30", 36" & 42" Bars ———— 12 Lengths

800-388-8144

What is MDF?


(Medium Density Fiberboard)?

Medium density fiberboard, or MDF, is a composite wood product similar to particleboard. It's with resin, heat, and pressure. MDF is resin, heat, and pressure. MDF is appropriate for many applications, from cabinetry to molding and its great for countertops because it is smooth, uniform, and won't warp.

MDF has many advantages over plywood, particleboard, or high-density fiberboard. It's very smooth because the wood fibers used in its manufacture are uniform and fine. This makes it have low "tear out," which means that when sawed, the end has a smooth cut instead of a more jagged edge. MDF panels machine very well with carbide tooling and have smooth profiles after the shaping process. MDF also has a mild reaction to moisture, meaning it won't warp or swell in high-humidity applications like a kitchen or bathroom environment.

Builders and fabricators use MDF in many capacities, such as laminate countertops, furniture, shelving, laminate flooring, decorative molding, and doors. They value MDF for its insular qualities in sound and heat. Also, it can be nailed, glued, screwed, stapled, or attached with dowels, making it a truly versatile core material.

Reconstituted , engineered wood products like MDF are often covered with a laminate or veneer sheet. Some people prefer using MDF over regular plywood or lumber products because it has a lower impact on the environment. MDF is solely made from waste products, the leftover scraps that would otherwise be dumped in a landfill. This attraction has helped it gain popularity among homeowners.





800-388-8144

Moisture Resistant Board

Hartson-Kennedy offers a variety of moisture resistant options in our countertop cores. All Hartson-Kennedy custom built tops feature moisture resistant build down to help ensure your new tops last. You can also order tops with the entire core built of Hartson-Kennedy specific moisture resistant particle board or solid wood builddown.

The ideal solution for:

- Dishwasher steam
- Intermittent water contact
- High Humidity

The “moisture resistant” build-down strip is available in the following quality countertop styles:

- Ultra-Top No-Drip
- Ultra-Top Waterfall
- Dura-Top
- Diamond-Top
- Colonial Wood Top

Ask your Hartson-Kennedy dealer for more information regarding the benefits of Hartson-Kennedy MR board



800-388-8144

Thinking about Plywood for your countertop core?

Plywood is a wood product manufactured out of many sheets of veneer, or plies, pressed together and glued, with their grains going in opposite directions. Plywood tends to be extremely strong and is treated in many different ways depending upon its intended application. Because of the way in which plywood is constructed, it also resists cracking, bending, warping, and shrinkage, depending upon its thickness. Plywood is also referred to as an engineered wood, although it is made from a composite of wooden materials, and various forms of it have been made for thousands of years.

The plies that form plywood are generally cut on a rotary lathe, which cuts a continuous roll of wood while a log, called a peeler, is turned against it. Rotary lathing is rapid and makes efficient use of the wood while turning out veneers highly suitable for plywood.

Rotary lathe veneers tend to be dull in appearance, although perfectly functional for use as a countertop core. After the veneers are cut, they are overlaid with layers of glue and pressed together until dry to form a flat, even, tight piece of plywood. Plywood is sturdier than regular

sheets or panels of wood, because the veneers are laid with their grains opposing, which also causes the wood product to resist warping because the grains pull each other tight.

Plywood comes in a number of forms, including softwood plywood, which is made from pine, fir, or spruce. Softwood plywood is usually pale in color and is used in construction applications. Plywood can also be decorative, with a facing veneer of exotic hardwoods. Mahogany or birch is used to create an extremely strong type of plywood known as aircraft plywood, because it was utilized in the construction of aircraft through the Second World War.

When plywood is destined for use as a countertop core in an indoor application, it is made with urea-formaldehyde glue, which dries quickly and is a good value. For plywood intended for use in outdoor applications or wet environments, a more expensive water resistant glue is used to prevent the plies from coming apart, or delaminating, and compromising the strength of the plywood. Plies range in thickness depending upon the plywood panels they are used in, from 1/10 inch (approximately 1/5 centimeter) to 1/6 inch (almost 1/5 centimeters). Standard plywood sizes consist of four foot by eight foot (1.2 by 2.4 meter) sheets in three, five, or seven plies. Plywood intended for countertop applications is normally manufactured in a 3/4" thickness (23/32") features 7 ply construction and comes in 30" by 8', 10' and 12' lengths. Plywood cores for countertop construction are sometimes a specification requirement for HUD installations



Certified Wood LOW-EMITTING MATERIALS

arauco
VESTA ULEF **ULTRA PB**

www.arauco-na.com

SPECIFICATION SHEET

ULTRA VESTA ULEF is a specialty particleboard manufactured using an ultra-low emitting formaldehyde resin system. This makes it the optimal choice for additional LEED points and other ULEF specified projects.

LEED Qualifying Credits:

- MR 4 Recycled Content 10%, 20%
- MR 5 Regional Materials 10%, 20%
- MR 7 Certified Wood
- IEQ 4.4 Low-emitting Materials

ULTRA VESTA ULEF			
		Bennettsville, SC	St. Stephen, NB
Thickness Range	(in.)	1/2 - 1 1/2	1/2 - 1 1/8
Average MOR	(psi)	1,950	2,103
Average MOE	(psi)	350,000	290,100
Average Internal Bond	(psi)	70	65
Face Screw Hold	(lb)	250	202
Edge Screw Hold	(lb)	185	180
Thickness Swell*	(in.)	≤ 0.033"	-
	%	≤ 5.5%	-
Thickness Tolerance	(in.)	+/- .005	+/- .005
Length and Width	(in.)	+/- 1/16	+/- 1/16
Squareness	(in.)	+/- 1/8	+/- 1/8

* ULTRA VESTA ULEF panels meet the ANSI M10 specification with a thickness swell value of 5.5% or less (ASTM D 1037 24-hour water submersion).

- The above physical properties are based on target averages of individual production lots. Sampling for conformance to the above specifications must be done in accordance with the procedures described in the American National Standard for Particleboard. (ANSI A208.1 - 2016 section 6.2 Sampling for Acceptance)
- EPA TSCA Title VI certified - TPC 1.
- Complies with formaldehyde emission requirements for particleboard in CAN/CSA-0260-16, CPA-ECC-2011, ANSI A208.1-2016, and CCR 93120 (CARB Composite Wood ATCM Phase II).
- All panels are approved for interior, non-structural application.
- Contain Recycled/Recovered wood content.

Storage and Handling

Particleboard products made by ARAUCO should never be stored or used outdoors. The indoor storage area should be clean, dry, well ventilated, and free of dust, dirt or particles that could contaminate the particleboard. Store flat on stickers on a level, hard, dry surface. Constant relative humidity and temperature should be maintained. Before use, allow to stabilize to the same conditions as are expected after the panel is installed. Condition 48 to 72 hours prior to lamination. For more information, see Composite Panels Association Technical Bulletin: Storage and Handling of Particleboard and MDF.

California Proposition 65 Requirement:

Warning: Drilling, sawing, sanding or machining wood products generates wood dust, a substance known to the State of California to cause cancer. Avoid inhaling wood dust or use a dust mask or other safeguards for personal protection.



renewables
for a
better life

arauco



800-899-2444 • Fax 603-647-6770

DATE _____

CUSTOMER _____

ORDERED BY _____

PHONE _____ FAX _____

P.O. NUMBER _____

JOB NAME _____

REQUEST DATE _____

OFFICE USE:

PICK TICKET # _____

SHIP DATE _____

STYLE: _____

COLOR #: _____

COLOR NAME: _____

ISLAND

C.C. or
E.E. _____

C.C. or
E.E. _____


☐ Bullnose
☐ Finished End

☐ Bullnose
☐ Finished End

C.C. = Clip Corner
E.E. = Eased Edge






C.C. or
E.E. _____

C.C. or
E.E. _____




☐ Assemble
☐ Loose

☐ Assemble
☐ Loose



☐ Assemble
☐ Loose



☐ Assemble
☐ Loose



☐ END CAP
☐ E/S STD/PROFILE

C.C. or
E.E. _____
☐ Finished End
☐ Bullnose _____

C.C. or
E.E. _____
☐ Finished End
☐ Bullnose _____



C.C. or
E.E. _____
☐ Finished End
☐ Bullnose _____


☐ FINISHED END
☐ E/S STD/PROFILE

C.C. or
E.E. _____
☐ Finished End
☐ Bullnose _____

IMPORTANT


1. PROFILE E/S MUST SHIP LOOSE; STD, E/S WILL BE SHIPPED LOOSE UNLESS OTHERWISE SPECIFIED.
2. ADDITIONAL EASED EDGES, CLIPPED CORNERS & ANGLE END BASES MAY BE DRAWN IN WHERE NEEDED.
3. INCLUDE SPECS FOR ALL ANGLE END BASES.

Sink cut out: (Standard Stainless Steel)



____ 25" x 22" Single Bowl
____ 33" x 22" Double Bowl

NOTES / SPECIAL INSTRUCTIONS:





CUSTOM SQUARE EDGE & LAMINATE PANELS



CUSTOM SQUARE EDGE

- Custom Pricing
- Seams & Joints
- Fabrication Charges
- Butt-Joints
- Substrate Options
- Order Form



LAMINATED DOOR PANELS

- Order Form
(Use customer order form)
- Contact for pricing
- Hinges & Pulls Available

CUSTOM SQUARE EDGE




KITCHEN & VANITIES

(LF price does NOT include backsplash)

BACKSPLASHES

(Note: If ordering only backsplash, please check laminate availability as a waste charge may incur)

PENINSULA (BAR) TOPS



CRESCENT EDGE



KITCHEN & VANITIES

(LF price does NOT include backsplash)










BACKSPLASHES

(Note: If ordering only backsplash, please check laminate availability as a waste charge may incur)

PENINSULA (BAR) TOPS



FABRICATION OPTIONS



ADDITIONAL OPTIONS

SPECIAL CUTOUTS

RANGE CUTOUTS

SINK CUTOUTS (Non-Standard)

BUILDING TOPS FROM TEMPLATE

DOUBLE THICK PARTICLEBOARD

DOUBLE THICK PARTICLEBOARD W/ BACKER

SINK CUTOUT (Standard)

FULL CARDBOARD WRAP

PLYWOOD BACKSPLASH—4"


PLYWOOD DECKS (Up to 25 1/2")

CUSTOM LAMINATE SEAMS & JOINTS

LAMINATE SEAMS:

- * Laminate seams with custom tops are needed due to laminate sheet size availability.
- * The largest size laminate is 60" x 144".
- * The largest assembled top for shipping is 72" x 168" overall.


Mitre Seam



- *No Shade Variations
- *Seam "Dies" into corner
- *Use for woodgrain/directional pattern for appearance only.

Best Application

Laminate Seam at Sink




- * Potential water damage if placed here.
- * May have shade variation due to "turning" sheets perpendicular.

MITRES & BUTT JOINTS:

- * Unassembled joints are required ease of handling, transportation and installation.
- * Use miter joints whenever possible, it helps eliminate front edge seam.
- * Always use water resistant wood glue when assembling joints to prevent water damage. Water damage is not covered under Counter Pro warranty.

Mitre vs. Butt Joints:




Mitre Joint: Best application

Butt Joint: (Acceptable) 2" return min.

Never place here (water damage)

Butt Joint on Right Return:




- * Due to saw limitations, 12" minimum on right return.
- * Keep away from sink area.


OFFSET MITRES JOINTS:

- * Use with Square Edge, wood edge or bevel edge.
- * Allows for longer lengths without additional joints/seams.
- * Eliminates front edge seam that would be visible with butt joint..




L-Shape w/ Peninsula






U-Shape w/ Peninsula





CUSTOM SQUARE EDGE FABRICATION CENTER



Note: Allow proper overhang for #1, #2, #3




Note: A 1" Overhang on the front, actually ends up 1 1/8" at the end point



- * Please be sure to provide the required information on all orders.
- * Allow proper overhang when ordering radius and clipped corners.
- * When supplying cabinet dimensions, please specify requested overhang i.e. angle end base, angle cuts.
- * Make sure that you indicate whether dimensions given are cabinet or countertop

BUTT JOINTS for U-SHAPE CUSTOM COUNTER TOPS

When cutting butt joints for custom self edge, custom crescent edge and custom bevel edge. Counter Pro, Inc. Prefers to machine both sides of a joint for the smoothest fit for assembling the joint at a job site. The following drawing shows the areas on where to place a butt joint when it is close to a corner.

Butt Joint **Left**Butt Joint **Right**

*The Left side may be as close as 1 1/2" from the inside corner.

*The Right side must be a minimum of 12" from the inside corner.

NOTE:

Whenever possible, use a mitre join (45 degree cut). It is the best location for a joint assembly, sheet material and it is the least visible (butt joints show the front edge seam).

Always keep joints away from the sink area or work, area to help prevent water damage, which is not covered under warranty.

Always use water proof wood glue when assembling any joint to help prevent water damage.

Straight "lamine seams" must be placed a minimum of 3" in from each corner.

P: 800-899-2444



F: 603-647-6770

CUSTOM COUNTER TOP ORDER FORM

A full-page sheet of white graph paper with a light gray grid. The grid consists of small squares, approximately 10 units wide by 10 units high. A thick black border runs along the top edge of the page.

DATE:	COLOR #:	BEVEL EGDE:
COMPANY:	COLOR NAME:	OTHER:
ORDERED BY:	4" BACKSPLASH: (CIRCLE ONE) LOOSE OR APPLIED	OFFICE USE:
PO #:	WOOD EDGE:	COST =
JOB NAME:	WOOD SPECIES:	SHIP =



BUTCHER BLOCK & CULTURED MARBLE



BUTCHER BLOCK

- [Acacia Information](#)
- [Care & Use](#)
- [Acacia Pricing](#)
- [Order Form](#)
- [Boos Block \(available email for quote\)](#)



Cultured Marble Tops

- [Cultured Marble Pricing](#)
- [Order Form](#)



Butcher Block Countertop

Easy to install, this 100% Acacia wood product brings a natural touch to any space.

Stock Butcher Block Specifications

- All tops are 1½" thick
- Made with 100% Acacia wood
- This product comes unfinished
- Care and maintenance directions are included
- 90 day warranty against manufacturer's defects

For more information

Contact your territory sales manager or customer service representative today.

***Boos Block (available email for quote)

orders@counterproinc.com



AVAILABLE SIZES IN STOCK

- 25" x 50"
- 25" x 74"
- 25" x 122"
- 25" x 98"
- 39" x 74" Island
- 4" x 98" X 0.708" Backsplash

Form# SDS-157
Rev. 5/24

IMPORTANT

FOR INDOOR USE ONLY. Your new butcher block needs to be sealed within 24 hours of opening the shrink wrap in order to prevent warping and cracking. If you have already opened your block, and are not able to finish at this time, please store the butcher block lying flat and cover it with a blanket to prevent it from drying out.

USE & CARE

- Begin by sanding your block with 320 grit sandpaper, moving with the grain until smooth.
- Wipe off excess dust from sanding.
- (Optional) If you want to add a stain, do so at this time. Please allow the stain to fully cure before sealing your butcher block.
- Next, apply an oil or a polyurethane/lacquer to ALL SIX SIDES to seal the butcher block. Do not use both.
- Research the pros and cons of these options to find which product fits your needs. Follow the directions of the product you choose.
- Sanding between coats may be necessary to get a smoother finish.
- Let the product dry completely before use.

CLEANING INSTRUCTIONS

Clean using mild soap, warm water, and a sponge. To disinfect, use ONLY pure white vinegar or a mixture of two tablespoons of chlorine bleach in a gallon of water. Be sure to wipe with a cloth to completely dry the block.

WARRANTY

This product comes with a 90 day limited warranty. It can be exchanged or refunded if the product has delaminating staves, joint separation, or any other damages due to faulty fabrication. The product warranty will not cover product damage from improper storing, handling, alteration, or installation. Any damage due to transportation must be reported immediately.

Differences in grain, coloring, or mineral streaking, as it occurred in nature, will be present. No two grain patterns, textures or colors are identical.



DISCLAIMER

This document gives general recommendations only. It serves as a general guide to good practice and constitutes no form of warranty or representation as to fitness for a particular purpose in respect of the products and processes described in it. Any information or products contained within this document must be verified and tested for suitability by the user for his or her particular purpose or specific application. Consideration needs to be given to local laws or regulations or specific circumstances. The content of this document reflects our knowledge and experience at the time of publication. The information provided in this document is solely indicative. We are unable to warrant the accuracy and completeness of this information. No rights can be derived from the information provided; the use of the information is at your own risk and responsibility. This document does not guarantee any properties of our products. We do not warrant that the information in this document is suitable for the purpose for which you consult it. Other than our express warranty, the document does not contain any design, structural calculation, estimate or other warranty or representation that may be relied on. Colors used in our communications (including but not limited to printed matter) and in samples of our products may differ from the colors of the products to be supplied. Our products and samples are produced within the specified color tolerances and the colors (of production batches) may differ, even if the same color is used. The viewing angle also influences the color perception. Customers and third parties must have a professional adviser inform them about (the suitability of) our products for all desired applications and about applicable laws and regulations. We reserve the right to change (the specifications for) our products without prior notice. The newest version of the document replaces all previous versions. We advise that the newest version may contain technical changes that must be taken into account when using the products. The latest version of the document may be consulted on our website. You should always check whether an updated version of the document is available.

Any warranty on the products may be voided if the (contents of the) latest version of this document, which may be updated from time to time, is not (properly) followed. We have made every effort to ensure the accuracy of the information in this document, but we cannot be held liable for any oversights, inaccuracies or typographical errors. To the maximum extent permitted under the applicable law, we shall not be liable (neither contractual nor non-contractual) for any damage arising from or related to the use of this document, except if and to the extent that such damage is the result of wilful misconduct or gross negligence on our part. All our oral and written statements, offers, quotations, sales, supplies, deliveries and/or agreements and all related activities are governed by our general terms and conditions. All intellectual property rights and other rights regarding the content of this document (including logos, text and photographs) are owned by us and/or our licensors.



BUTCHER BLOCK ORDER FORM

DATE: _____ SALES ORDER: _____

CUSTOMER: _____ ORDERED BY: _____

SHIP TO: _____ SHIP DATE: _____

PO #: _____ JOB NAME: _____

Butcher Block Size	Item Number	QTY

20% RESTOCKING FEE ON **UNOPENED/UNWRAPPED** ACACIA BUTCHER BLOCK TOPS



CULTURED MARBLE ORDER FORM

DATE: _____SALES ORDER: _____

CUSTOMER: _____ORDERED BY: _____

SHIP TO: _____SHIP DATE: _____

PO #: _____JOB NAME: _____

SIZE	COLOR	ITEM NUMBER	QTY

NOTE: UPS shipping will apply to drop-ship orders, out of delivery area and those requiring shipment sooner than regular truck delivery..



LAMINATE SHEET, SEAM-FIL & BRACKETS



Laminate Sheets & SeamFil

- Laminate Waiver Form
- Laminate Brands & Finishes
- Laminate Order Form
- SeamFil Colors & Pricing
- SeamFil Order Form



Brackets

- Bracket Specs
- Bracket Pricing
- Bracket Order Form



LAMINATE SELECTION WAIVER

Counter Pro, Inc. has manufactured counter tops using all of the major laminate companies' material including Formica, Nevamar, Pionite, and Wilsonart. They design their line to accommodate a range of their markets and continue to manufacture laminate colors in both dark solids in matte, suede and high gloss finish. (Reference listing of colors).

- **Dark Solid Colors** tend to show more wear. Although dark solids are more dramatic and add contrast, they always show scratches and wear immediately and are not recommended for kitchen counter tops.
- **Gloss Finish** is appropriate for bathroom vanity counter tops **ONLY**. In more active areas such as kitchens, it is not recommended. (Scratching, fingerprints, etc. are highly visible).

It is our opinion, based on years of manufacturing, that these colors or laminates are virtually impossible to work; without noticeable scratching or defects. We strongly recommend that we warn our clients and their customers the nature of these products, prior to ordering their counter tops and waive Counter Pro's responsibility for such occurrences.

WAIVER

I/We, the undersigned, understand that gloss finishes and dark solids will show scratches and reveal limitations of the substrate. These imperfections are beyond Counter Pro's control. No claims or adjustments will be made or accepted.

Color Name: _____ Color #: _____

Dealer/Salesperson: _____ Date: _____

Customer Signature: _____

Customer Name: _____ Date: _____
(Please Print)

Please email this signed form to Counter Pro to proceed with the order.

Thank you for your cooperation.



LAMINATE GUIDE

Use the following guideline to determine premium laminates when pricing countertops or laminates.

FORMICA

Standard:

"43" = Artisan

"58" = Matte

Premium:

"34" = Scavato

"46" = Etchings

"90" = Gloss

"RD" = Radiance

Select:

"26" = Oiled Wood

"MC" = Microdot

"ML" = Monolith

"NG" = Natural Grain

"PG" = Pure Grain

"PX" = Plex

"SP" = Sculpted

"WR" = Woodbrush

WILSONART

Standard:

"21" = Soft Silk

"38" = Fine Velvet Texture

"60" = Matte

Premium:

"01" = High Gloss

"05" = Timbergrain

"07" = Texture Gloss

"12" = Softgrain

"15" = Fieldstone

"16" = Casual Rustic

"17" = Silken Wood

"18" = Linearity

"19" = Leno Weave

"22" = Antique

"28" = Gloss Line

"52" = Quarry

"78" = Finegrain

"79" = Ridgewood

HD:

"35" = Mirage

"55" = Glaze

"57" = Aligned

"67" = Aligned walnut

*NEVAMAR

*PIONITE

*Please call for availability and lead time on these

LAMINATE GUIDELINES

*The premium laminates listed are general categories, always refer to the manufacturer's stock list for a complete listing of premium laminates.

*When ordering backsplash only or small tops, some laminates have limited size availability, and they are subject to a waste charge in *addition* to being a premium laminate.

*Specialty laminates such as Vertical Grade, Chemical Resistant, Fire-Rated and Color-Through are done by quote only.

*When ordering any laminate countertop or sheet always use the color # and finish code. We are **NOT** responsible for cross referencing color #'s with color names.

*Certain Laminates are not recommended for Kitchen countertops, we may require a signed waiver form. See waiver form page for additional information.



FORMICA LAMINATE PRICE LIST



STANDARD FINISHES

Solids, Patterns, Woodgrains (-43, or -58 Finish)	
48" x 96"	60" x 144"

PREMIUM FINISHES

Scavato, Etchings, Gloss, Radiance (-34, -46, -90, or -RD)	
48" x 96"	60" x 144"

SELECT FINISHES

Oiled Wood, Microdot, Monolith, Natural Grain, Sculpted, Pure Grain, Plex, Woodbrush	
48" x 96"	60" x 144"



WILSONART LAMINATE PRICE LIST



STANDARD FINISHES

Fine Velvet Texture & Matte (-38, & -60 Finish)		
36" x 96"	48" X 96", 48" X 120", 48" X 144"	60" X 96", 60" X 120", 60" X 144"

PREMIUM FINISHES

High Gloss (-01)		
36" X 96"	48" X 96", 48" X 120", 48" X 144"	60" X 96", 60" X 120", 60" X 144"
Gloss Line (-28)		
	48" X 96"	60" X 120", 60" X 144"
Textured Gloss (-07)		
	48" X 96", 48" X 120", 48" X 144"	60" X 96", 60" X 120", 60" X 144"
Softgrain, Linearity, & FineGrain (-12, -18, & -78)		
36" X 96"	48" X 96"	60" X 96", 60" X 120", 60" X 144"
Fieldstone, Soft Silk, Antique, & Quarry (-15, -21, -22, -52)		
	48" X 96"	60" X 96", 60" X 120", 60" X 144"
Timbergrain, Silken Wood, Leno Weave & Casual, Rustic Ridgewood (-05, -16, -17, -19, -79)		
	48" X 96"	60" X 144" (ONLY)


HD FINISHES

Mirage & Glaze (35 & -55)		
	48" X 96"	60" X 96", 60" X 120", 60" X 144"
Aligned Oak & Aligned Walnut (-57 & -67)		
	48" X 96"	60" X 144" (ONLY)

KAMPEL PRODUCTS

SEAMFIL

Color matched filler for seams or repair of minor nicks and gauges. Made to match Formica, Nevamar, Pionite & Wilsonart, laminates



Stock / Color Selection—1 oz. Tube

(Pre-mixed, matched in-stock postform selection)

Standard “900” Series Base Colors—1 oz. Tube

(White, black, grey, tan, red, yellow, etc.)

Special Order / Non-Stock— 1 oz. Tube

(Formica, Nevamar, Pionite & Wilsonart color selection)


Seamfil Kit

(Kit includes: (12) standard mixing colors, (1) putty knife, (1) 1/2 pint sf99 Solvent, & mixing instructions)

Seamfil Solvent: (1/2 Pint)

ColorFlex Caulking

Color matched silicone caulking for sealing backsplash and sinks. Made to order, to match Formica, Nevamar, Pionite & Wilsonart laminates)



Special Order Colors—4 oz Tube

(Reference Color Index)

Special Order Colors—10 1/2 oz Cartridge

(Reference Color Index)

Note: Allow 2-3 weeks on all seamfil products with the exception of stock postform colors.



LAMINATE / SEAMFIL

DATE: _____ SALES ORDER: _____

CUSTOMER: _____ ORDERED BY: _____

SHIP TO: _____ SHIP DATE: _____

PO #: _____ JOB NAME: _____

LAMINATE SHEETS

<u>COLOR #</u>	<u>COLOR NAME</u>	<u>QTY</u>	<u>SIZE</u>	<u>NOTES</u>

SEAMFIL / CAULKING

<u>ITEM</u>	<u>QTY</u>	<u>NOTES</u>

NOTE: UPS shipping will apply to drop-ship orders, out of delivery area and those requiring shipment sooner than regular truck delivery..

WORK STATION SUPPORTS



- 45° relief for cable runs
- 1/8" steel construction
- durable powder coating
- 1000 lbs load (per pair)
- multiple applications

SIZE AND COLORS
BRACKET HEAVY DUTY 8" X 12" WHITE OR BLACK
BRACKET HEAVY DUTY 12" X 18" WHITE OR BLACK
BRACKET HEAVY DUTY 15" X 21" WHITE OR BLACK
BRACKET HEAVY DUTY 18" X 18" WHITE OR BLACK
BRACKET HEAVY DUTY 18" X 24" WHITE OR BLACK
BRACKET HEAVY DUTY 24" X 24" WHITE OR BLACK
BRACKET HEAVY DUTY 24" X 29" WHITE OR BLACK

Some colors and sizes may be in stock

If not in stock 1 week lead time

**Adequate in wall blocking is required for proper installation



BRACKET ORDER FORM

DATE: _____

SALES ORDER: _____

CUSTOMER: _____

ORDERED BY: _____

SHIP TO: _____

SHIP DATE: _____

PO #: _____

JOB NAME: _____

BRACKET SIZE	BRACKET COLOR	QTY

20% RESTOCKING FEE ON UNOPENED BRACKETS



SOLID SURFACE VANITIES, KITCHENS & SHOWERS



SOLID SURFACE

- Waiver Color Form
- Waiver Colors
- Edge Styles
- Warranty
- Corian Vanity Program
- Durasein Vanity Program
- Hi-Macs Vanity Program
- Wilsonart Vanity Program
- Vanity Program Order Form
- Solid Surface Sinks
- Tub & Shower Surrounds
- Solid Surface Order Form





SOLID SURFACE WAIVER

Thank you for choosing solid surface for your new countertops. The color you have chosen is a color that is not intended for use in high traffic applications such as kitchens. Dark colors and gloss finish look very elegant, however, when they are used in high traffic areas, there are certain maintenance issues that all customers should consider:

DARK COLORS will show more wear than lighter ones. They will show scratches as a “white” line. Ordinary everyday use will cause this to appear. It is excellent however, for vertical applications or accent style edges.

GLOSS FINISH Gloss or polished finish will also show scratches more than matte finish. It will also show fingerprints, wipe marks, etc. (It is fine for vertical applications or bathrooms and wet bars).

Scratches can be removed by having your countertop professionally refinished periodically. There is a charge for refinishing based on the size and color of your counter top.

Counter Pro, in conjunction with the manufacturer of this product does not recommend this particular color or finish due to the extra maintenance it will require for this application. We therefore, cannot be held responsible for the color or finish you have chosen.

I/we, the customer, understand the limitations of this finish/color and agree that I/We have been advised to select a matte finish or lighter color. I/We agree to hold the dealer and the fabricator (Counter Pro Inc.) harmless should any of the above stated issues occur.

DATE: _____ **CUSTOMER NAME:** _____

SALES PERSON: _____ **DEALER:** _____

BRAND/COLOR: _____

CUSTOMER SIGNATURE: _____ **DATE:** _____

SOLID SURFACE WAIVER COLORS

All Solid Surface companies manufacture dark patterns for their line. They are not suitable for high traffic areas such as kitchens. However, they would be fine for low traffic areas such as bathroom vanities, vertical applications or accents for edge details.

The following list of dark patterns will show scratches as a “white” line and ordinary everyday use may cause the surface to wear. They require extra maintenance and may need to be periodically refinished professionally at the customers expense. These colors require a signed waiver by the customer.



Carbon Concrete
Deep Anthracite
Deep Black Quartz
Deep Caviar

Deep Cloud
Deep Espresso
Deep Mink
Deep Night Sky

Deep Nocturne
Deep Sable
Deep Storm
Deep Titanium

Evening Prima
Laguna
Hot
Natural Gray

Verdant



Cool

Eventide

Nightfall

Nocturne

Spellbound



Black

Brown Eyes

Cascade Black

Eclipse

Yuri Grey



Black Lava

Luna Storm



Aurora Midnight
Dark Walnut

Aurora Terra
Ebony Concrete

Black
Nolte

Black Pearl
Sanremo

Concrete Grey



Charcoal Concrete
Pewter
Translucent Blue Ice

Fire
Rain Cloud
Translucent Green Ince

Galaxy Mist
Sunshine
Volcanic

Jet Black
Tangerine

Lime



Ash Concrete
Black

Forest
Radiance

Grigio Concrete
Ultra marine

Igneous
Urban Grey

Piano



Basalt Concrete
Mirage

Black Onyx
Night Skies

Gold Glitz
Sahara Night

Hot Stone


* As always, please call Counter Pro if you have any questions! *

SOLID SURFACE EDGES


Custom Edges (Price Group 1)

1/2" x 1/2" x 1 1/2" Edge with simple detail


Custom Ogee



Custom Radius




Custom Bevel



Premium Edges (Price Group 2)

1/2" x 1" x 1 1/2" Edge with thicker build up for deeper routing


Premium Ogee



Premium Radius




Premium Bullnose



Accent Edges (Price Group 3)

1/2" x 1" x 1 1/2" Edge with Accent/ Sandwich Inlay

Accent Ogee



Accent Radius



Accent Bullnose



Note: Other designer edges available upon request by quote.



SOLID SURFACE WARRANTY

Staron is a homogeneous and solid mineral filled acrylic polymer material that is easy to maintain. Simple routine maintenance is required to keep it looking new and fresh.

ROUTINE CLEANING OF COUNTER TOPS & SINKS:

Use soap and water or an ammonia based cleanser (such as a glass cleanser). Wipe away any water stains with a damp cloth and sponge and dry with a towel.

REMOVING DIFFICULT STAINS:

Dull finishes: Use an abrasive cleanser and a green Scotch-Brite pad. Rub in a circular motion.

Semi-gloss Surface: Use Soft Scrub diluted bleach and a white Scotch-Brite pad in a circular motion.

High-gloss Surface: Follow the procedure for semi-gloss surfaces, but use a sponge instead of a Scotch-Brite pad. If the area is dull in contrast with the surrounding surface, use a white polishing compound with a sponge to get a higher gloss.

DISINFECTING SURFACES & SINKS:

Occasionally wipe sinks and bowls with diluted household bleach (1/1 water/bleach solution) to disinfect.

REMOVING CUTS & MINOR SCRATCHES:

Dull Finishes: Sand with 180 Grit (120 micron) or 220 grit (60 micron) fine sandpaper until the cut and/or scratch is removed; restore finish with an abrasive cleanser and a green Scotch-Brite pad to the same finish as the adjacent surface.

Semi-gloss Finish: Sand with 400 grit (30 micron) sandpaper and restore finish with a non-abrasive cleanser and a white Scotch-Brite pad.

High-gloss Finish: Sand with 400 grit (30 micron) or 600 grit (20 micron) sandpaper; buff with polishing compound at a low speed (1500-2000 rpm) polisher using a wool pad then finish with a wax.

** All of the above sanding and polishing should be done in a circular motion*

It is further recommended that you do not place any hot pans, frying pans, crockpots or electric skillets directly onto the surface. To prevent heat damage, always use trivet; preferably with an air-space between trivet and counter top when placing anything hot onto your counter top.

PREVENTING DAMAGE:

In most cases, Solid Surface Material can be repaired. However, follow these guidelines to prevent any permanent damage.

Heat Damage: Even though Staron has an excellent heat resistant property compared with other ordinary counter tops, placing hot pans, as well as some heat-generating appliances such as frying pans or crockpots can damage a solid surface. Always use a hot pad or a trivet with a rubber feet to protect. Avoid long term exposure to temperatures over 80 degrees C (170 degrees F).

Other Damage: Avoid exposing material to strong chemicals such as paint removers and oven cleaners. Surfaces exposed to these chemicals should be promptly flushed with water. Contact over a long period of time will cause spots and require extensive sanding:

DO NOT cut directly on surface

Use a cutting board

Run cold water when pouring boiling water into sinks.

Remove nail polish with a non-acetone based nail polish remover and flush with water.

For any other information, contact your dealer/fabricator

CORIAN VANITY PROGRAM

PROGRAM COLORS:

GROUP A

Bisque
Cameo White
Glacier White
Pearl Grey
Vanilla

GROUP B

Artisa Beige
Artisa Gray
Everest
Linen
Pebble Lane

GROUP C

Laguna Terrazzo
Platinum
Sandstorm
Sandalwood
Savannah
Silver Birch
Sparkling Granita

GROUP D

Carrara Crema
Dune Prima
Limestone Prima
Neutral Aggregate
Rain Cloud
Witch Hazel

TEMPLATE & INSTALL ADD \$300.00
SINK STYLES:
SINK COLORS:

Bisque, Bone,
Cameo &
Glacier

810P*


16 1/2" x 13 1/4" x 5 1/4"

802P


15 3/4" x 10" x 4 1/4"

7412



17 3/4" x 10 3/4" x 4 1/4"

7722


19 1/2" x 12 1/2" x 5"

EDGE DETAILS:
Radius

Bevel

Ogee

Pencil

SINGLE BOWL VANITY W/ COVED BACKSPLASH: 19 1/4" & 22 1/4" DEPTHS

LENGTH UP TO:	GROUP A	GROUP B	GROUP C	GROUP D
25"	\$ 515.00	\$ 569.00	\$ 640.00	\$ 676.00
31"	\$ 529.00	\$ 606.00	\$ 687.00	\$ 729.00
37"	\$ 570.00	\$ 660.00	\$ 750.00	\$ 798.00
43"	\$ 640.00	\$ 707.00	\$ 800.00	\$ 861.00
49"	\$ 672.00	\$ 787.00	\$ 898.00	\$ 971.00
61"	\$ 714.00	\$ 829.00	\$ 940.00	\$ 1,013.00
73"	\$ 858.00	\$ 1,030.00	\$ 1,227.00	\$ 1,305.00
97"	\$ 1,047.00	\$ 1,234.00	\$ 1,468.00	\$ 1,572.00

DOUBLE BOWL VANITY W/ COVED BACKSPLASH: 19 1/4" & 22 1/4" DEPTHS

61"	\$ 916.00	\$ 949.00	\$ 1,332.00	\$ 1,192.00
73"	\$ 1,034.00	\$ 1,207.00	\$ 1,372.00	\$ 1,483.00
97"	\$ 1,207.00	\$ 1,418.00	\$ 1,621.00	\$ 1,755.00

OPTIONS:

Change to bowl 7412
Change to bowl 7418

ADD \$ 150.00
ADD \$ 170.00

Loose Sidesplash
Cove Sidesplash

ADD \$ 62.00
ADD \$ 152.00

ORDER GUIDELINES:

* Use this program to price custom vanities with Corian. If your order does not fit in this program , please have it custom quoted.

*7-10 day lead time. Email order orders@counterproinc.com

DURASEIN VANITY PROGRAM

PROGRAM COLORS:



GROUP 1
Artic White

GROUP 2
Iceberg
Silver Falls




GROUP 3
Bianca Sabbia
Blossoming
Harbor Mist
Luna
Royal Carrera

GROUP 4
Ever After
Light Haze




TEMPLATE & INSTALL ADD \$300.00

SINK STYLES:

SINK COLORS:
Artic White &
Natural White



EDGE DETAILS:



SINGLE BOWL VANITY W/ COVERED BACKSPLASH:

LENGTH UP TO:	GROUP 1	GROUP 2	GROUP 3	GROUP 4
22 x 25	\$ 400.00	\$ 433.00	\$ 471.00	\$ 496.00
22 x 31	\$ 420.00	\$ 455.00	\$ 495.00	\$ 520.00
22 x 37	\$ 460.00	\$ 493.00	\$ 555.00	\$ 580.00
22 x 43	\$ 525.00	\$ 565.00	\$ 591.00	\$ 651.00
22 x 49	\$ 584.00	\$ 613.00	\$ 687.00	\$ 735.00
22 x 61	\$ 615.00	\$ 671.00	\$ 780.00	\$ 819.00
22 x 73	\$ 670.00	\$ 747.00	\$ 861.00	\$ 915.00
22 x 97	\$ 725.00	\$ 855.00	\$ 925.00	\$ 1,005.00

DOUBLE BOWL VANITY W/ COVERED BACKSPLASH:

22 x 49	\$ 610.00	\$ 675.00	\$ 747.00	\$ 810.00
22 x 61	\$ 675.00	\$ 715.00	\$ 850.00	\$ 885.00
22 x 73	\$ 732.00	\$ 777.00	\$ 950.00	\$ 995.00
22 x 97	\$ 880.00	\$ 930.00	\$ 1,071.00	\$ 1,111.00

OPTIONS:

For rectangular Bowls DLD125 or DLB379A ADD \$ 40.00

Loose Sidesplash

ADD \$ 62.00

Cove Sidesplash

ADD \$ 152.00

ORDER GUIDELINES:

* Use this program to price custom vanities with Corian. If your order does not fit in this program , please have it custom quoted.

*7-10 day lead time. Email order orders@counterproinc.com

**Group 4 Premium Edge detail can only come as a radius or bullnose edge.

HI-MACS VANITY PROGRAM

PROGRAM COLORS:

LG HI-MACS
Acrylic Solid Surface

GROUP 1

Artic White

GROUP 2

Graphite Granite
Sea Oat Quartz
Vanilla Sugar
White Quartz

GROUP 3

Artic Granite
Grey Granite
Maui Quartz
Moon Haze
Populus
Ripe Cotton

GROUP 4


Aurora Cream
Aurora Gray
Aurora Sanremo
Volcanic Ice

TEMPLATE & INSTALL ADD \$300.00


SINK STYLES:

SINK COLORS:

Almond, Artic
White, Cream,
& Ivory



EDGE DETAILS:



SINGLE BOWL VANITY W/ COVED BACKSPLASH: 19 1/4" & 22 1/4" DEPTHS

<u>LENGTH UP TO:</u>	<u>GROUP 1</u>	<u>GROUP 2</u>	<u>GROUP 4</u>	<u>GROUP 5</u>
25"	\$ 422.00	\$ 454.00	\$ 502.00	\$ 530.00
31"	\$ 445.00	\$ 478.00	\$ 530.00	\$ 560.00
37"	\$ 496.00	\$ 540.00	\$ 602.00	\$ 635.00
43"	\$ 562.00	\$ 630.00	\$ 704.00	\$ 746.00
49"	\$ 630.00	\$ 695.00	\$ 793.00	\$ 843.00
61"	\$ 672.00	\$ 74.00	\$ 836.00	\$ 886.00
73"	\$ 776.00	\$ 855.00	\$ 975.00	\$ 1,036.00
97"	\$ 998.00	\$ 1,046.00	\$ 1,198.00	\$ 1,275.00

DOUBLE BOWL VANITY W/ COVED BACKSPLASH: 19 1/4" & 22 1/4" DEPTHS

61"	\$ 873.00	\$ 924.00	\$ 1,034.00	\$ 1,085.00
73"	\$ 975.00	\$ 1,054.00	\$ 1,174.00	\$ 1,176.00
97"	\$ 1,137.00	\$ 1,240.00	\$ 1,395.00	\$ 1,474.00

OPTIONS:

Loose Sidesplash ADD \$ 62.00
Cove Sidesplash ADD \$ 152.00 (1 per vanity, wall to wall not available)

ORDER GUIDELINES:

* Use this program to price custom vanities with Corian. If your order does not fit in this program , please have it custom quoted.
*7-10 day lead time. Email order orders@counterproinc.com

WILSONART VANITY PROGRAM

PROGRAM COLORS:

SELECT DESIGNS

Powder White
Zen Grey

GROUP 3 & 4

Milk Glass Spectra
Yukon Riverstone

MOVEMENT DESIGNS GROUP 5

Whisper White Beige Travertine
Angel Falls Grey Beola
Calming Waves White Stone
Artic Dune

CRAFTED COLLECTION GROUP 6





Monte Amiata
Calacutta Peralto

TEMPLATE & INSTALL ADD \$300.00




SINK STYLES:

SINK COLORS:

Designer White,
Antique White,
& Calm White



EDGE DETAILS:



SINGLE BOWL VANITY W/ COVERED BACKSPLASH:

<u>LENGTH UP TO:</u>	<u>SELECT DESIGNS</u>	<u>GROUP 3 & 4</u>	<u>GROUP 5</u>	<u>GROUP 6</u>
22 x 25	\$ 535.00	\$ 552.00	\$ 615.00	\$ 615.00
22 x 31	\$ 558.00	\$ 576.00	\$ 685.00	\$ 685.00
22 x 37	\$ 582.00	\$ 600.00	\$ 748.00	\$ 748.00
22 x 43	\$ 605.00	\$ 625.00	\$ 770.00	\$ 770.00
22 x 49	\$ 630.00	\$ 650.00	\$ 792.00	\$ 792.00
22 x 61	\$ 734.00	\$ 800.00	\$ 836.00	\$ 836.00
22 x 73	\$ 782.00	\$ 846.00	\$ 879.00	\$ 879.00
22 x 97	\$ 878.00	\$ 942.00	\$ 967.00	\$ 967.00

DOUBLE BOWL VANITY W/ COVERED BACKSPLASH:

22 x 49	\$ 867.00	\$ 909.00	\$ 930.00	\$ 950.00
22 x 61	\$ 898.00	\$ 940.00	\$ 974.00	\$ 995.00
22 x 73	\$ 1,023.00	\$ 1,080.00	\$ 1,117.00	\$ 1,145.00
22 x 97	\$ 1,050.00	\$ 1,115.00	\$ 1,125.00	\$ 1,245.00

OPTIONS:

For rectangular Bowls 12216B or 1412 ADD \$ 30.00

Loose Sidesplash

ADD \$ 62.00

Cove Sidesplash

ADD \$ 152.00

ORDER GUIDELINES:

* Use this program to price custom vanities with Corian. If your order does not fit in this program , please have it custom quoted.

*7-10 day lead time. Email order orders@counterproinc.com

**Group 4 Premium Edge detail can only come as a radius or bullnose edge.



Premium Surfacing - Since 1988
www.counterproinc.com

Solid Surface Custom Vanity Order Form

1 Deck Information:

☐ Finished End
☐ Side-Splash:
☐ Loose
☐ Covered

☐ Finished End
☐ Side-Splash:
☐ Loose
☐ Covered

Brand & Color: _____

4 Bowl Location:

Centered = _____" From Left _____" From Right _____"

2 Edge Treatment: (Check one)

☐ Pencil Edge ☐ Radius Edge ☐ Bevel Edge ☐ Ogee Edge

3 Backsplash Type: (Check one)

☐ No Backsplash ☐ Cove for Tile

☐ 3" Standard ☐ 3" Covered

(Note: Sidesplash can be loose or covered.)

5 Bowl Style & Color:

Bowl #: _____
 Color: _____
 Drop-in / Cutout ? _____ (Supply Template)
 Other: _____

Note: As with all solid surface products, solid color decks and bowls rarely match perfectly. Use an accent ring or select different colors.

6 Faucet Drilling: (Check one)

☐ 4" Center ☐ 8" Center
☐ 8" Contour ☐ Single Center Hole

Customer: _____

Date: _____

Job Name: _____

Salesperson: _____

PO #: _____

Notes/Comments: _____

Expected Cost: _____

Office Use: _____

Cost: _____

Ship Date: _____

CORIAN SOLID SURFACE COLORS

GROUP 0

Glacier White

GROUP 1

Bisque

Bone

Cameo white

Linen

Pearl grey

Silvery Grey

Vanilla

GROUP 2

Abalone

Antarctica

Archeologic

Arista Canvas

Arista Dust

Arista Gray

Artista Mist

Artista Sage

Aurora

Canyon

Designer White

Dove

Elegant Gray

Everest

Excavage

Glacier Ice

Matterhorn

Modern White

Neutral Concrete

Pebble Lane

Sandstone

Silt

Sparkling White

Stonique

GROUP 3

Artic Ice

Ash Concrete

Bleached Nuwood

Canvas

Carbon Concrete

Concrete

Cosmos Prima

GROUP 3 CONT.

Deep Anthracite

Deep Black Quartz

Deep Cloud

Deep Espresso

Deep Mink

Deep Night Sky

Deep Nocturne

Deep Sable

Deep Storm

Deep Titanium

Doeskin

Hazelnut

Hot

Laguna

Laguna Terrazzo

Platinum

Provence Nuwood

Rice Paper

Sahara

Sand Storm

Sandalwood

Savannah

Serene Sage

Silver Birch

Silverite

Sparkling Granita

Venaro White

Verdant

Weathered Concrete

Whipped Cream

Whisper

White Jasmine

Willow

GROUP 4

Arrowroot

Ash Aggregate

Calacatta Greige

Carbon Aggregate

Carrara Crema

Carrara Lino

Cirrus White

Clam Shell

Domino Terrazzo

Dune Prima

Evening Prima

Gray Onyx

Juniper

Limestone Prima

Natural Gray

Neutral Aggregate

Rain Cloud

Rosemary

Sagebrush

Sepia Linear

Silver Linear

Smoke Drift Prima

Sorrel

Stonecrest Smoke

Weathered Aggregate

White Onyx

Windswept Prima

Witch Hazel

**Sheets are 30 x 144



DURASEIN SOLID SURFACE COLORS

GROUP A

Artic White
Dune
Natural White
Whiteout

GROUP B

Chez Linen
Coal
Oahu
Parthenon

GROUP C

Bella Vista	Bellingham Grey
Concrete	Cumberland
Glacier Tundra	Iceberg
Odyssey	Platinum Grey
Silver Falls	

GROUP D

Nightfall

GROUP E1

Barnwood	Leaden
Bianca Sabbia	Luna
Blossoming	Naturale
Boardwalk	Naturally
Eventide	Nimbus
Galaxy	Rainwall
Grigio	Royal Carrera
Harbor Mist	Victoria Falls
Harmony	Volcano
Ice Grey	Weathered Wood
Knight White	

GROUP E2

Euphoria
Ever After
Heartfelt
Light Haze
Spellbound
Starstruck
Sunkissed

GROUP F

Bliss Blue
Cheerful Yellow
Energy Orange
Grape Green
Nocturne
Outre White
Sea Blue
Spiritual Purple
Vitality Red

Sheets are 30 x 144



HANEX SOLID SURFACE COLORS

GROUP 0

Neo White
White

GROUP 1

Ep Sand
Ep White
Grey
Ivory
M Black
N Orange
Steel
Ultra White

GROUP 2

Brown Eyes
Eclipse
Metal Grey
Mist
Rhapsody
Sandbank
Seashore
Solaris
Yuri Grey

GROUP 3

Alaska
Amber
Classic Concrete
Coldstone
Hidden Glen
Light Brown
Lut Desert
Melange Concrete
Nantucket
Ricecookie
Silverstone
Toffee Crunch
Vintage Concrete
Wheatfield

GROUP 4

Athena
D-Terrazzo
Gala
Helena
Helsinki
Merino Grey
Omega
Oslo White

GROUP 5

Bianco Classico
Cascade Beige
Cascade Black
Cascade Cream
Cascade Grey
Cascade Haze
Cascade Ice
Clara
Marelinho
Nublado
Romano
Slate Grey

GROUP 6

Venato Snow
Venato Champagne

Venato Sparkle
Venato Stella

****Sheets are 30 x 144****



WILSONART SOLID SURFACE COLORS

SELECT SERIES

Designer White
Frosty White
Pearl Mirage
Powder White
Zen Grey

GROUP 1

Antique White
Relaxed White

GROUP 2

Beachfront
Beige Tempest
Black Onyx Mirage
Cannon Beach
Cashmere Mirage
Chai Cream Mirage
Frosty White Mirage
Luminous
Marzipan Mirage
Metro Concrete
Mink Concrete
Steel Grey Tempest
Titanium Grey

GROUP 3

Artic Melange
Avalanche Melange
Baja Melange
Brooklyn Concrete
Caramel Melange
Chicory Cream Melange
Coconut Oil
Cool Basalt
French Blue Melange
Hot Stone
Midnight Melange
Milk Glass Spectra
Northern Melange
Oatmeal
Peace Grey
Quarry Melange
Soothing Grey

GROUP 4

Chilled Earth
Hidden Space
Yukon Riverstone

GROUP 5

Angel Falls
Artic Drift
Artic Dune
Aspen Quartzite
Basalt Concrete
Beige Travertine
Bluestone
Calacatta Perlato
Calming Waves
Carbone Marmo

Carrara Emporio
Cloud Mist
Dusk Ice
Europa
Flint Rock
Gold Glitz
Grey Beola
Grey Lace
Gulfcoast
Ice Staturio

Iron Falls
Jovian
Kimberlite
Maple Harvest
Masoned Concrete
Monte Amiata
Moon Geyser
Morning Ice
Mystique
Night Stars

Paris Fog
Pebble
Quiet Swirl
Saharan Night
Sea Stone
Silver Smoke
Tumbled Stone
Whisper White
White Stone
Whitewater

****Sheets are 30 x 144****

CORIAN LAVATORY/BATH SINKS

Colors: Bisque, Bone, Cameo White & Glacier White

810P*



16 1/2 x 13 1/2 x 5 3/4
Std. Overflow: Front
† Other options (3:00, 4:30, No Overflow)

810L*



16 3/4 x 13 x 5
Std. Overflow: Front
† Other options (No Overflow)

815P*



20 1/2 x 14 3/4 x 6 1/4
Std. Overflow: Front
† Other options (No Overflow)

816P*



17 3/4 x 10 3/4 x 5 3/4
Std. Overflow: Front
† Other options (No Overflow)

820P*



14 3/4 x 10 1/2 x 5 1/2
Std. Overflow: Front
† Other options (3:00, No Overflow)

5315 Baby Bath



22 1/2 x 12 1/2 x 6 1/4
Std. Overflow: 9:00
† Other options (No Overflow)

7412



17 3/4 x 10 3/4 x 4 3/4
Std. Overflow: Front
† Other options (No Overflow)

7418



19 1/2 x 12 1/2 x 5
Std. Overflow: Front
† Other options (No Overflow)

7722



19 1/2 x 12 1/2 x 5
Std. Overflow: Front
† Other options (No Overflow)

8252*



15 1/4 x 13 3/4 x 5 1/4
Std. Overflow: 10:00
† Other options (No Overflow)

8252R*



15 1/4 x 13 3/4 x 5 1/4
Std. Overflow: 2:00
† Other options (No Overflow)

8254*



18 x 12 3/4 x 5
Std. Overflow: Front
† Other options (No Overflow)

8256*



18 x 12 3/4 x 4 1/2
Std. Overflow: 10:00
† Other options (No Overflow)

CORIAN KITCHEN SINKS

Colors: Bisque, Bone, Cameo White & Glacier White

802P



15 3/4 x 10 x 4 3/8

804P



15 3/4 x 15 3/4 x 8 3/8

805P



15 3/4 x 17 3/4 x 8 3/8

809P




10 1/2 x 12 1/2 x 6 3/8

859P




17 3/4 x 13 3/4 x 7 3/8

871P



20 3/4 x 15 3/4 x 7 3/8

881P



27 1/2 x 17 x 8 1/2

965P




15 3/4 x 15 3/4 x 6 3/8

966P




27 1/2 x 15 3/4 x 6 3/8

5216




16 x 16 x 11 3/4

5218




18 x 18 x 9

5414



14 Round x 5

5610*



27 x 16 x 5 1/2

850P



Both bowls same size - 14 1/2
29 x 16 3/4 x 9

9412



Both bowls same size - 15 1/2
31 x 16 3/4 x 7 1/2

9980



28 1/2 x 16 3/4 x 7 1/2

9691 Farm Sink



27 3/4 x 16 1/2 x 8 3/4

SHOWER & TUB SURROUNDS

DuPont™
CORIAN®
 SOLID SURFACES



3—Wall Shower Surround

Kits available in 6 Colors




Soap & Shampoo Shelves

Custom Accessories Available

Send Inquiry for Quote



Custom Tub Decks




Tub Surround

Kits available in 6 Colors

* Color match/ Contrast Vanities available— See Vanity Program

2 – WALL SHOWER KIT



DuPont™
CORIAN®
 SOLID SURFACES

Kit Includes:

- (2) Wall Panels
- (1) Shampoo Shelf
- (1) Soap Shelf
- (2) Corner-filler Inserts Shims
- Soap & Shampoo Shelf Adhesive
- Color Match Silicone Sealant
- Installation Guide & Video

**TEMPLATE & INSTALL
 AVAILABLE**

Shower Pan Not Included

72" HIGH

36"W X 36"W *Bisque, Bone, Cameo White & Glacier White*

36"W X 36"W *Aurora, Linen*

38"W X 38"W *Bisque, Bone, Cameo White & Glacier White*

38"W X 38"W *Aurora & Linen*


96" HIGH

Tub & Shower Universal Trim Kit *Bisque, Bone, Cameo White & Glacier White*

Tub & Shower Universal Trim Kit *Aurora & Linen*

Lead Time for Delivery
 7 -10 Days Template & Installation Available - Call for Quote

3- WALL SHOWER KIT



DuPont™
CORIAN®
SOLID SURFACES

Kit Includes:

- (3) Wall Panels
- (1) Shampoo Shelf
- (1) Soap Shelf
- (2) Corner-filler Inserts Shims
- Soap & Shampoo Shelf Adhesive
- Color Match Silicone Sealant
- Installation Guide & Video

Shower Pan Not Included


**TEMPATE & INSTALL
AVAILABLE**

72" High or 96" High

- | | |
|-----------|--|
| 36" X 36" | <i>Bisque, Bone, Cameo White & Glacier White</i> |
| 36" X 36" | <i>Aurora, Linen</i> |
| 36" X 48" | <i>Bisque, Bone, Cameo White & Glacier White</i> |
| 36" X 48" | <i>Aurora & Linen</i> |
| 36" X 60" | <i>Bisque, Bone, Cameo White & Glacier White</i> |
| 36" X 60" | <i>Aurora & Linen</i> |

Lead Time for Delivery
7 -10 Days Template & Installation Available - Call for Quote

4- WALL TUB KIT



Tub Not Included

DuPont™
CORIAN®
SOLID SURFACES

Kit Includes:

- (4) Wall Panels
- (1) Shampoo Shelf
- (1) Soap Shelf
- (2) Corner-filler Inserts Shims
- Soap & Shampoo Shelf Adhesive
- Color Match Silicone Sealant
- Installation Guide & Video

TEMPLATE & INSTALL AVAILABLE

60" HIGH or 72" HIGH


30"W X 60"L	<i>Bisque, Bone, Cameo White & Glacier White</i>
30"W X 60"L	<i>Aurora, Linen</i>
32"W X 60"L	<i>Bisque, Bone, Cameo White & Glacier White</i>
32"W X 60"L	<i>Aurora, Linen</i>

Tub & Shower Universal Trim Kit	<i>Bisque, Bone, Cameo White & Glacier White</i>
Tub & Shower Universal Trim Kit	<i>Aurora, Linen</i>

**Corner Shelf Available

Lead Time for Delivery
7 -10 Days Template & Installation Available - Call for Quote

CUSTOM SHOWER SURROUND QUOTE & ORDER FORM




Length X Height

A _____ X _____

B _____ X _____

C _____ X _____



Length X Height

A _____ X _____

B _____ X _____

C _____ X _____

Custom Accessories:

[illegible]

Step 1) *Material Color:* _____

Material Information

Brand: _____

Step 2) Soap & Shampoo Shelves Qty: _____

Trim / Molding *Inside / Outside*

Color: _____

Optional Ceiling Yes / No

Step 3

Date: _____

Step 4

Client Name: _____

Dealer: _____


Address: _____

PO#: _____

Phone: _____

Salesperson: _____

CUSTOM SHOWER SURROUND QUOTE & ORDER FORM




Length X Height

A _____ X _____

B _____ X _____

C _____ X _____



Length X Height

A _____ X _____

B _____ X _____

C _____ X _____

Custom Accessories:

A full-page sheet of white graph paper with a light gray grid. The grid consists of small squares, approximately 10 units wide by 10 units high. A thick black border surrounds the entire grid area.

Step 1) *Material Color:* _____

Material Information

Brand: _____

Step 2) Soap & Shampoo Shelves Qty: _____

Trim / Molding *Inside / Outside*

Color: _____

Optional Ceiling Yes / No

Step 3

Date: _____

Step 4

Client Name: _____

Dealer: _____

Address: _____

PO#: _____

Phone: _____

Salesperson: _____



SOLID SURFACE ORDER FORM

To place your order, please complete this sheet and fax back along with your countertop layout. This process is crucial to avoid unnecessary expense due to error.

Job Name: _____ **Address:** _____

Company Name: _____

Sales Person: _____ **PO#:** _____

HAVE YOU OR ANOTHER KITCHEN DESIGNER BEEN ONSITE? YES _____ NO _____

Are the cabinets flush & plumb: YES _____ NO _____

Any tops with 10" or more over hang: YES _____ NO _____

Material Brand:

Color:

Edge Detail: Radius:

Bevel:

Ogee:

Pencil:

Loose ☐ 3" ☐ 4"

☐ 18" Full Height

☐ Other _____

Cove ☐ 3" ☐ 4"

☐ 18" Full Height

☐ For Tile ☐ Other _____

None ☐

Sink

☐ Drop in Sink

☐ Under mount Stainless Sink *Must be on site at time of install*

☐ Under mount Cast Iron Sink *Must be on site at time of install*

☐ Solid Surface Sink Model # _____ Color _____

Faucet Drillings ☐ 4" ☐ 8" ☐ 8" Contour

If there is no drilling selected, counter will not have one upon delivery or installation

Stove Type: ☐ Cook top ☐ Freestanding ☐ Slide in Range ☐ w/ Backsplash?

Any of the above referenced stoves must be on site at time of installation



WETWALL

WETWALL



- Wall Panel Edges
- Niches & Corner Shelves
- Panel Sizing, Availability & Pricing
- Adhesive/Sealant & Accessory Pricing
- Order Form
- Wetwall Care & Precautions
- Residential Warranty
- Commercial Warranty



Wetwall
— A WILSONART COMPANY —

WETWALL



Wall Panel Edge Configurations

Utility Panels



Tongue Edge + Groove Edge
This most flexible panel is used to continue the design beyond single panel widths



Tongue Edge + Bullnose Edge
This bullnose Edge combined with a TE to cap the end of the TE/GE panels



Bullnose Edge + Flat Edge
This bullnose Edge combined with a TE to cap the end of the TE/GE panels



Bullnose Edge + Bullnose Edge
This bullnose Edge combined with a TE to cap the end of the TE/GE panels

Back Wall Panels



Tongue Edge + Flat Edge
This easy-to-handle TE/FE panels are ideal for a seamed back wall



Groove Edge + Flat Edge
This easy-to-handle GE/FE panels are ideal for a seamed back wall



Flat Edge + Flat Edge
This FE/FE panels are best for one piece wall




Groove Edge + Bullnose Edge
This Bullnose Edge combines with a GE to cap the end of the TE/GE panels

Wing Wall Panels

Niche



Corner Shelf



WETWALL PANELS

Wetwall®
— A WILSONART COMPANY —

PANEL	SQFT	PFFL	TOFL	GRFL	FLFL	GRTO	PFTO	PFGR	PFPF
30 x 72	15.0	MTO	STOCK	STOCK	MTO				
36 x 72	18.0	STOCK	MTO	MTO	MTO	MTO	MTO	MTO	MTO
48 x 72	24.0	MTO	MTO	MTO	MTO	MTO	MTO	MTO	MTO
60 x 72	30.00	MTO	MTO	MTO	STOCK	MTO	MTO	MTO	MTO
8 x 96	5.3	MTO	MTO	MTO	MTO	MTO	MTO	MTO	MTO
30 x 96	20.0	MTO	STOCK	STOCK	MTO				
32 x 96	21.3	STOCK	MTO	MTO	MTO	MTO	MTO	MTO	MTO
36 x 96	24.0	STOCK	MTO	MTO	MTO	MTO	MTO	MTO	MTO
48 x 96	32.0	MTO	MTO	MTO	STOCK	MTO	MTO	MTO	MTO
60 x 96	40.0	MTO	MTO	MTO	STOCK	MTO	MTO	MTO	MTO

TEMPLATE & INSTALL ADD \$300.00

PFFL - Bullnose/Flat

TOFL - Tongue/Flat

GRFL - Groove/Flat

FLFL - Flat/Flat

GRTO - Groove/Tongue

PFTO - Bullnose/Tongue

PFGR - Bullnose/Groove

PFPF - Bullnose/Bullnose

Stocked Local **STOCK**

Made To Order **MTO**

"Made to Order 3 Weeks"

Aria White	W7001
Staccato	W7004
Torrone Marble	W7008
Tahiti Sands	W7027
Cosenza	W7028**
Calacatta Statuario	W7036
Arezzo	W7041**
Legacy Ash	W7042
Larisis Marble	W7054
Augusta Calacatta	W7055
Tuscany Marble	W7057
Darlington Cherry	W7058

**While Supplies Last



WETWALL ACCESSORIES



ADHESIVE/SEALANT	
ADHESIVE/SEALANT	MATCH
Panel Adhesive	All Designs
Sealant– Ash Grey	Augusta Calacatta, Darlington Cherry, Legacy Ash, Tahiti Sands, & Tuscany Marble
Sealant—Ivory Grey	Cosenza
Sealant—Porcino	Arezzo
Sealant - Stone White	Aria White, Staccato, Torrone Marble, Calacatta Statuario, & Larisis Marble

ADHESIVE/SEALANT			
PART NUMBER	ACCESSORY	SIZE	AVAILABLE COLORS
WWA-CORSHELF1-ANTIQ-WHT	CORNER SHELF	8 x 8	ANTIQUE WHITE
WWA-CORSHELF1-DESIGN-WHT	CORNER SHELF	8 x 8	DESIGNER WHITE
WWA-NICHE1-ANTIQ-WHT	NICHE 1	7 1/2 x 11	ANTIQUE WHITE
WWA-NICHE1-DESIGN-WHT	NICHE 1	7 1/2 x 11	DESIGNER WHITE
WWA-NICHE2-ANTIQ-WHT	NICHE 2	10 x 15 1/4	ANTIQUE WHITE
WWA-NICHE2-DESIGN-WHT	NICHE 2	10 x 15 1/4	DESIGNER WHITE

Wetwall Waterproof Wall Panel System

Cleaning and Maintenance

Care and maintenance of your Wetwall Waterproof Wall Panel System is easy. Warm soapy water and a sponge will be adequate for regular maintenance. Common non-abrasive household cleaners can be used with a soft sponge or cloth. With all cleaners, rinse immediately. Wetwall has no grout lines to clean, and is non-porous, so sealing is never required.

Recommended Cleaners

Warm Soapy Water
Lime-A-Way® Cleaner
Mr. Clean® MagicEraser
Tilex® Bathroom Cleaner
Fabuloso® All-Purpose Cleaner
Fantastik® All-Purpose Cleaner
Windex® Multi-Surface Cleaner
Formula 409® Multi-Surface Cleaner
Simple Green® All-Purpose Cleaner

Pine-Sol® Multi-Surface Cleaner
Green Works® All-Purpose Cleaner
Spic and Span® Liquid Multi-Surface & Floor Cleaner

*Diluted Bleach Solution

*1/4 cup of bleach to 1 gal of water is recommended. Rinse immediately as prolonged exposure of bleach on the surface will cause discoloration.

DO NOT USE

Abrasive or Gritty Cleaners	Scotch-Brite™ Pads
Comet® Bleach Powder or Soft Cleanser	Strong Solvents (Thinners, MEK)

Avoid these cleaners, which may damage or dull the surface of Wetwall.
Use of these agents will also void the Wetwall warranty.

WETWALL™ RESIDENTIAL 10-YEAR LIMITED WARRANTY

Wetwall™
— A WILSONART COMPANY —
P.O. Box 6110
Temple, Texas 76503-6110
www.wetwall.com
1.866.WETWALL

WHAT IS COVERED:

Wilsonart LLC ("Wilsonart") warrants that the Wetwall™ Wall Panel System ("Wetwall") will be free from defects in material during normal residential use and service for ten (10) years from the date of sale ("Warranty Period"). If Wetwall products are installed outside of the United States of America, Canada, or Mexico or used commercially, Wilsonart warrants that Wetwall will be free from defects in material for three (3) years from the date of sale ("Warranty Period"). To activate this limited warranty, the original consumer purchaser must go online to www.wetwall.com/warrantyregistration to register their Wetwall product within thirty (30) days of purchase.

WHAT IS EXCLUDED:

Wilsonart is not responsible for labor charges, installation, other incidental or consequential costs, or the cost of repair or replacement of any installation materials, including but not limited to tile(s), marble, etc. In no event shall the liability of Wilsonart exceed the purchase price of the Wetwall product. Damages due to improper handling, installation or maintenance are not considered manufacturing defects and are not covered by this warranty. This warranty is valid for the original, consumer purchaser only. Proof of purchase (original sales receipt) must be provided to Wilsonart with all warranty claims.

This warranty shall not apply to damage arising from any of the following:

1. Accidents, abuse or misuse;
2. Exposure to extreme temperature changes;
3. Exposure to harsh or corrosive chemicals and cleaners;
4. Excessive weight placed on or against wall panel;
5. Structural support or movement;
6. Improperly installed, used and/or maintained appliances, fixtures, or accessories;
7. Acts of nature;
8. Failure to use or maintain the product in accordance with Wetwall's published Care and Maintenance Guidelines (see www.wetwall.com or information supplied to Wetwall's distributors and retailers).



**Complete and return the card below,
or go to www.wetwall.com/warrantyregistration**

Wetwall™
— A WILSONART COMPANY —

Owner Name: _____

Physical location of product: _____

Owner's Phone: _____ Owner's Email Address: _____

Where did you purchase your product? _____

Wetwall design: _____

WHAT WETWALL WILL DO IF YOUR CLAIM IS COVERED BY THIS WARRANTY:

At no cost to the original consumer purchaser, Wilsonart will provide, at its option, repair or replacement of the warranted product. Neither transfer of residence ownership nor repair or replacement under this warranty shall extend the Warranty Period. Any repair or replacement under the warranty is limited to repair or replacement with Wetwall colors and styles of products available at the time of repair or replacement. If the original color or style is no longer available, Wilsonart has the right to substitute another Wetwall color or style of equal or greater value than the original product. Exact color matches may not be possible.

WHAT YOU NEED TO DO:

To make a claim under this warranty, you must contact the Wetwall Warranty Center at the address listed below before the end of the Warranty Period. You must provide dated proof of purchase and provide access for inspection for warranty determination. Wilsonart will investigate, and Wilsonart will provide you a determination on your claim. For further assistance or questions, contact:

Wetwall Warranty Center
P.O. Box 6110
Temple, Texas 76503-6110
Toll Free: 1-866-WETWALL
Email: customerservice@wetwall.com

THE FOREGOING SHALL CONSTITUTE THE EXCLUSIVE REMEDY OF THE PURCHASER OR OTHER PARTY SEEKING TO ENFORCE THE WARRANTY AND THE EXCLUSIVE LIABILITY OF WILSONART.

THE ABOVE WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER EXPRESS WARRANTIES WHETHER ORAL OR WRITTEN. ANY IMPLIED WARRANTIES WHICH MAY ARISE BY OPERATION OF LAW, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED IN DURATION TO THE PERIOD OF THE WRITTEN WARRANTY SET FORTH HEREIN.

WILSONART SHALL NOT, UNDER ANY CIRCUMSTANCES OR UNDER ANY LEGAL THEORY, BE LIABLE TO THE PURCHASER OR ANY OTHER PERSON FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY NATURE, INCLUDING WITHOUT LIMITATION DAMAGES TO, OR LOSS OF USE OF, PROPERTY, DAMAGES FOR LOSS OF PROFITS OR REVENUES OR ANY OTHER DAMAGES ARISING FROM THE ORIGINAL END USER'S PURCHASE. WILSONART'S LIABILITY WILL IN NO EVENT EXCEED THE PURCHASE PRICE OF THE PRODUCT.

Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages, so the above limitations and exclusions may not apply to you. This warranty gives you specific legal rights and you may also have other rights which vary from state to state. No agent, dealer, employee or representative of Wilsonart nor any installer, fabricator or other person is authorized to modify the warranty in any respect. The invalidity of all or a part of any of the provisions of the Limited Warranty shall not affect or invalidate any other provision of the Limited Warranty.

Wetwall™
— A WILSONART COMPANY —

WARRANTY REGISTRATION

P.O. BOX 6110

TEMPLE, TX 76503-6110

POSTAGE-PAID
ENDICIA



— A WILSONART COMPANY —

P.O. Box 6110
Temple, Texas 76503-6110
www.wetwall.com
1.866.WETWALL

WETWALL™ LIMITED COMMERCIAL 3-YEAR LIMITED WARRANTY

COMMERCIAL PURCHASE FOR NON-RESIDENTIAL APPLICATION

WHAT IS COVERED:

Wilsonart LLC ("Wilsonart") warrants that during the warranty period specified below, the Wetwall™ Wall Panel System ("Wetwall"), will be free from defects in material and manufactured in accordance with appropriate specifications during commercial use and service for three years from the date of sale ("Warranty Period"). To activate this limited warranty, the original commercial purchaser must go online to www.wetwall.com/warrantyregistration to register Wetwall within thirty (30) days of purchase.

WHO MAY USE THIS LIMITED 3-YEAR WARRANTY:

Wilsonart extends this limited warranty only to the original, commercial (non-consumer) purchaser for non-residential applications who purchased Wetwall, or the business operating at the original location of the installation; there may not be duplicative recovery for the same issues. This warranty applies only to commercial purchases of Wetwall for non-residential applications. For residential application of Wetwall Panels, please see Wilsonart's limited 10-year residential limited Wetwall warranty.

WHAT DOES THIS LIMITED 3-YEAR WARRANTY COVER:

Wetwall will be free from defects in material and manufactured in accordance with appropriate specifications

WHAT IS EXCLUDED:

This warranty shall not apply to damage arising from any of the following:

1. Normal wear and tear;
2. Accidents, abuse or misuse;
3. Exposure to extreme temperature changes, use in the vicinity of high moisture (e.g., swimming pool or hot tub) or extreme heat (e.g., spa, sauna, steam room), outdoor use;
4. Exposure to harsh or corrosive chemicals and cleaners;
5. Excessive weight placed on or against wall panel;
6. Movement of the building due to land slip, failure of a foundation or the underlying building structure;
7. Improperly installed, used and/or maintained appliances, fixtures, or accessories;
8. Acts of nature;
9. Failure to use or maintain the product in accordance with Wetwall's published Care and Maintenance Guidelines (see www.wetwall.com or information supplied to Wetwall's distributors and retailers).

This limited warranty does not cover any labor or other costs of removal or installation or the cost of repair or replacement of any installation materials, including but not limited to tile(s), marble, etc. In no event shall the liability of Wilsonart exceed the purchase price of the Wetwall product. Damages due to improper handling, installation or maintenance are not considered manufacturing defects and are not covered by this warranty.



Complete and return the card below,
or go to www.wetwall.com/warrantyregistration



— A WILSONART COMPANY —

Owner Name: _____

Physical location of product: _____

Owner's Phone: _____ Owner's Email Address: _____

Where did you purchase your product? _____

Wetwall design: _____

WHAT IS THE PERIOD OF COVERAGE:

This limited warranty is valid for 3 years starting on the date of sale of the Wetwall product. Neither transfer of ownership nor repair or replacement under this warranty shall extend the Warranty Period.

WHAT WETWALL WILL DO IF YOUR CLAIM IS COVERED BY THIS WARRANTY:

At no cost to the original commercial purchaser, Wilsonart will provide, at its option, repair or replacement of the warranted product. Neither transfer of commercial ownership nor repair or replacement under this warranty shall extend the Warranty Period. Any repair or replacement under the warranty is limited to repair or replacement with Wetwall colors and styles of products available at the time of repair or replacement. If the original color or style is no longer available, Wilsonart has the right to substitute another Wetwall color or style of equal or greater value than the original product. Exact color matches may not be possible.

WHAT YOU NEED TO DO:

To make a claim under this warranty, you must contact the Wetwall Warranty Center at the address listed below before the end of the Warranty Period. You must provide dated proof of purchase and provide access for inspection for warranty determination. Wilsonart will investigate, and Wilsonart will provide you a determination on your claim. For further assistance or questions, contact:

Wetwall Warranty Center
P.O. Box 6110
Temple, Texas 76503-6110
Toll Free: 1-866-WETWALL
Email: customerservice@wetwall.com

THE FOREGOING SHALL CONSTITUTE THE EXCLUSIVE REMEDY OF THE PURCHASER OR OTHER PARTY SEEKING TO ENFORCE THE WARRANTY AND THE EXCLUSIVE LIABILITY OF WILSONART.

THE ABOVE WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER EXPRESS WARRANTIES WHETHER ORAL OR WRITTEN. ANY IMPLIED WARRANTIES WHICH MAY ARISE BY OPERATION OF LAW, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED IN DURATION TO THE PERIOD OF THE WRITTEN WARRANTY SET FORTH HEREIN.

WILSONART SHALL NOT, UNDER ANY CIRCUMSTANCES OR UNDER ANY LEGAL THEORY, BE LIABLE TO THE PURCHASER OR ANY OTHER PERSON FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY NATURE, INCLUDING WITHOUT LIMITATION DAMAGES TO, OR LOSS OF USE OF, PROPERTY, DAMAGES FOR LOSS OF PROFITS OR REVENUES OR ANY OTHER DAMAGES ARISING FROM THE ORIGINAL END USER'S PURCHASE. WILSONART'S LIABILITY WILL IN NO EVENT EXCEED THE PURCHASE PRICE OF THE PRODUCT.

Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages, so the above limitations and exclusions may not apply to you. This warranty gives you specific legal rights and you may also have other rights which vary from state to state. No agent, dealer, employee or representative of Wilsonart nor any installer, fabricator or other person is authorized to modify the warranty in any respect. The invalidity of all or a part of any of the provisions of the Limited Warranty shall not affect or invalidate any other provision of the Limited Warranty.



WARRANTY REGISTRATION


P.O. BOX 6110

TEMPLE, TX 76503-6110

POSTAGE-PAID
ENDICIA

WETWALL QUOTE & ORDER FORM

Step 1



Length X Height

A _____ X _____

Length X Height

D _____ X _____

B _____ X _____

Length X Width

C _____ X _____

E _____ X _____

Total Sqft _____

Please indicate finished edges and
select edge detail below.

// = Indicates Finished Edges

TEMPATE & INSTALL**ADD \$300.00**

Step 2

Wall Panel EdgeUtility Panels

Tongue/Groove



Tongue/Bullnose



Bullnose/Flat



Bullnose/Bullnose

Back Wall Panels

Tongue/Flat



Groove/Flat



Flat/Flat



Groove/Bullnose

Wing Wall Panel

Step 3

Color _____

**Material
Information**

Size: : _____

Step 4

Niche Qty: _____

Shelves Qty: _____

Optional Ceiling Yes / No

Step 5

Date: _____

Step 6

Client Name: _____

Dealer: _____

Address: _____


PO#: _____

Salesperson: _____

Phone: _____



SHOWER BENCHES

CORNER BENCH





RIGHT/LEFT WALL BENCHES

*Benches include mounting hardware





READY TO INSTALL BASIN SIZES & PRICING

STYLE 201





STYLE 202





READY TO INSTALL BASIN SIZES & PRICING

STYLE 203





STYLE 204





READY TO INSTALL BASIN SIZES & PRICING

STYLE 205




STYLE 206




READY TO INSTALL BASIN SIZES & PRICING

STYLE 207





STYLE 208





READY TO INSTALL BASIN SIZES & PRICING

STYLE 209





STYLE 210





READY TO INSTALL BASIN SIZES & PRICING

STYLE 211





STYLE 212





READY TO INSTALL BASIN SIZES & PRICING

STYLE 213





STYLE 214





READY TO INSTALL BASIN SIZES & PRICING

STYLE 215



STYLE 216





H-FLOR & QUARTZ PROGRAM



H-FLOR

- H-FLOR Colors
- Pricing & Moldings
- Order Form



QUARTZ PROGRAM

- Eternal Quartz Program Colors
- Stone Order Form
- Stone Vanity Program

H-FLOR

p. 1/4



With a wide variety of natural wood and stone abstract looks in numerous format and installation options. H-FLOR offers a multitude of design and installation capabilities , enabling expansive expression and creativity.



7981 Nordic Hickory
PRESTG XL | Plank



7982 Natural Hickory
PRESTG XL | Plank



7983 Timbered Hickory
PRESTG XL | Plank



7984 Vanilla Oak
PRESTG XL | Plank



7985 Natural Oak
PRESTG XL | Plank



7986 Blonde Oak
PRESTG XL | Plank



7987 Chocolate Oak
PRESTG XL | Plank



7988 Stone Mountain Oak
PRESTG XL | Plank



7989 Weathered Oak
PRESTG XL | Plank



7990 European Oak
PRESTG XL | Plank



7991 Wheat Oak
PRESTG XL | Plank



7992 Smoked Oak
PRESTG XL | Plank

H·FLOR

Resilient Flooring

FEATURES & BENEFITS

Stone Shield
Exceptional anti-scratch performance

Excellent Resistance to Water
No swelling, no distortion, no deformation

TransferGuard
Reduces prep time and ensures smooth installation (no "telegraphing")

5Gi Locking System
Shortened installation time and ensures flush joints

Maximized Coherence by Applying 5Gi Click
Shortened installation time and ensures flush joints

Excellent Stability and Underfoot Comfort thanks to IXPE Foam Layer

Sound Reduction by 21 dB
ISO 717-2:2013

Top-of-class Sound Reduction
IIC Rating: 64 (ASTM E90)

H-FLOR

p. 2/4



With a wide variety of natural wood and stone abstract looks in numerous format and installation options. H-FLOR offers a multitude of design and installation capabilities , enabling expansive expression and creativity.



6930 Icicle Marble
PRESTG | Tile



6931 Silvery Moon
PRESTG | Tile



6932 Taupe Marble
PRESTG | Tile



6933 Carbon Black
PRESTG | Tile



7913 Caramel Spectrum
PRESTG | Plank



7914 Midnight Mocha
PRESTG | Plank



7939 Desert Palm
PRESTG | Plank



7940 Mystic Sepia
PRESTG | Plank



7941 Toffeenut Sand
PRESTG | Plank



7942 Ash Umber
PRESTG | Plank



7901 Bronzed Sienna
PRESTG | Plank
**Available only with 6" x 48"*



7902 Sunkissed Marigold
PRESTG | Plank
**Available only with 6" x 48"*



7911 Tuscan Mushroom
PRESTG | Plank
**Available only with 6" x 48"*



7936 Hazy Lilac Oak
PRESTG | Plank
**Available only with 6" x 48"*



7937 Omoi Brown
PRESTG | Plank
**Available only with 6" x 48"*

H-FLOR

p. 3/4



With a wide variety of natural wood and stone abstract looks in numerous format and installation options. H-FLOR offers a multitude of design and installation capabilities , enabling expansive expression and creativity.



7938 Saddle Oak
PRESTG | Plank
**Available only with 6" x 48"*



7970 Cashmere Granite
PRESTG Artistry | Tile



7971 Surrey Stone
PRESTG Artistry | Tile



7972 Boathouse Stone
PRESTG Artistry | Tile



7973 Arctic Grey
PRESTG Artistry | Tile



7974 Highland Granite
PRESTG Artistry | Tile



7975 Volcanic Granite
PRESTG Artistry | Tile



7960 Concrete Wood
PRESTG Artistry | Plank



7961 Urban Sahara
PRESTG Artistry | Plank



7962 Specimen Timber
PRESTG Artistry | Plank



7963 Modern Conifer
PRESTG Artistry | Plank



7964 American Oak
PRESTG Artistry | Plank



7965 Industrial Heritage
PRESTG Artistry | Plank

H-FLOR

p. 4/4

H-FLOR MOLDINGS



Designed for H-FLOR, the PRESTG Molding collection complements a wide range of styles and décor.

VersaEdge

\$ 60.13 ea

(94" long)



Quarter

Round (Moi Proof)

\$ 25.16 ea

(94" long)



Slim Trim

(3 in 1 reducer, T-molding & Endcap)

\$ 53.07 ea

(94" long)



H-FLOR PRICING

PRODUCT	TYPE	THICKNESS	WEAR LAYER	SIZE	BOX (Pallet)	SQFT (Box)	SQFT (Pallet)
PRESTG	PLANK (Click)	6.0 mm	20 mil	6" X 48"	72	19.7	1,418
PRESTG	PLANK (Click)	6.0 mm	20 mil	9" X 60"	56	29.98	1,679
PRESTG	TILE (Click)	6.0 mm	20 mil	12" X 24"	72	20.19	1,454
PRESTG Artistry	PLANK (Click)	6.0 mm	20 mil	9" X 60"	56	29.98	1,679
PRESTG Artistry	PLANK (Click)	6.0 mm	20 mil	12" X 24"	72	20.19	1,454
PRESTG XL	PLANK (Click)	6.0 mm	20 mil	9" X 60"	56	29.98	1,1679

Disclaimer: No additional discounts apply. Regular delivery fees apply.

*For large or bulk orders, please contact us for a custom quote and bulk pricing options

**Property Management companies are encouraged to reach out for special pricing options

Email questions, quotes & orders to: orders@counterproinc.com



H-FLOR ORDER FORM

DATE: _____ SALES ORDER: _____

CUSTOMER: _____ ORDERED BY: _____

SHIP TO: _____ SHIP DATE: _____

PO #: _____ JOB NAME: _____

COLOR	TYPE (Plank/Tile)	SQFT	BOX QTY

MOLDING TYPE	QTY
VERSAEDGE	
SLIM TRIM	
QUARTER	

Disclaimer: No additional discounts apply. Regular delivery fees apply.

**For large or bulk orders, please contact us for a custom quote and bulk pricing options*

***Property Management companies are encouraged to reach out for special pricing options*

Email questions, quotes & orders to: orders@counterproinc.com

ETERNAL QUARTZ PROGRAM p. 1/5

Minimum of 40 sq ft. For Vanities, reach out for our Vanity Program

CALACATTA ANTIQUE

Up close of veining



View of full sheet



CALACATTA GOLD

Up close of veining



View of full sheet




CALACATTA MONALISA

Up close of veining



View of full sheet



ETERNAL QUARTZ PROGRAM p 2/5

Minimum of 40 sq ft. For Vanities, reach out for our Vanity Program

CALACATTA MYSTIC


Up close of veining



View of full sheet

CALACATTA MYSTIC GOLD


Up close of veining



View of full sheet

CALACATTA NEBULA

Up close of veining




View of full sheet

ETERNAL QUARTZ PROGRAM p 3/5

Minimum of 40 sq ft. For Vanities, reach out for our Vanity Program

CALACATTA OLYMPUS


Up close of veining



View of full sheet

CALACATTA ROYAL

Up close of veining



View of full sheet

FINESSE

Up close of veining



View of full sheet

ETERNAL QUARTZ PROGRAM p 4/5

Minimum of 40 sq ft. For Vanities, reach out for our Vanity Program

FINESSE GOLD


Up close of veining



View of full sheet

GREY POSEIDON

Up close of veining



View of full sheet

INFINITY GOLD

Up close of veining




View of full sheet

ETERNAL QUARTZ PROGRAM p 5/5

Minimum of 40 sq ft. For Vanities, reach out for our Vanity Program

TUSCANY STATUARIO

Up close of veining





STONE ORDER FORM

To place your order, please complete this sheet and fax back along with your countertop layout. This process is crucial to avoid unnecessary expense due to error.

Job Name: _____ **Address:** _____

Company Name: _____

Sales Person: _____ **PO#:** _____

HAVE YOU OR ANOTHER KITCHEN DESIGNER BEEN ONSITE? YES _____ NO _____

Are the cabinets flush & plumb: YES _____ NO _____

Any tops with 10" or more over hang: YES _____ NO _____

Material Brand:

Color:

Edge Detail: Radius:

Bevel:

Ogee:

Pencil:

Loose ☐ 3" ☐ 4" ☐ 18" Full Height ☐ Other _____
None ☐

Sink

- ☐ Drop in Sink
☐ Under mount Stainless Sink *Must be on site at time of install*
☐ Under mount Cast Iron Sink *Must be on site at time of install*
☐ Solid Surface Sink Model # _____ Color _____

Faucet Drillings ☐ 4" ☐ 8" ☐ 8" Contour

If there is no drilling selected, counter will not have one upon delivery or installation

Stove Type: ☐ Cook top ☐ Freestanding ☐ Slide in Range ☐ w/ Backsplash?

Any of the above referenced stoves must be on site at time of installation